

# Index

A  
B  
C  
D  
E  
F  
G  
H  
I  
J  
K  
L  
M  
N  
O  
P  
Q  
R  
S  
T  
U  
V  
W  
X  
Y  
Z

## A

### Acalypha

- Accident or spill emergency kit [7-3-17](#)
- treatment schedule
- See also* Pesticide spills
- treatment T570-1
  - Hot water dip at 110°F for 50 minutes. (Tolerance not established.) [5-6-20](#)

### Achimenes

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)

### Aconitum

- treatment T570-2
  - Hot water dip at 110°F for 50 minutes. (Tolerance not established.) [5-6-20](#)

### Acorns

- treatment T302-g-1
  - MB at NAP—tarpaulin, chamber, or van container [5-4-8](#)

### Acronyms and abbreviations [9-1-1 to 9-1-3](#)

### Actinidia

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)

### Aeration

- chamber fumigation [2-5-4 to 2-5-7](#)
- determining need for [2-4-28](#)
- determining when to release the
  - commodity [2-4-33 to 2-4-40](#), [2-5-5 to 2-5-7](#)
- materials needed [2-4-30](#)
- normal atmospheric pressure chambers [2-5-5 to 2-5-6](#)
- of fruits, vegetables, and cut flowers [2-4-35 to 2-4-36](#)
- of nonsorptive, containerized cargo [2-4-30](#)
- of nonsorptive, noncontainerized cargo [2-4-33 to 2-4-34](#)
- of sorptive, containerized commodities [2-4-38 to 2-4-40](#)
- of sorptive, noncontainerized cargo [2-4-36 to 2-4-38](#)
- phosphine [2-10-1](#)
- procedure determination [2-4-30](#), [2-5-4](#)
- requirements for [2-4-6](#)

- responsibility for
  - chamber fumigation [2-5-4](#)
  - ship fumigation [2-6-12](#)
  - structure fumigation [2-7-15](#)
  - tarpaulin fumigation [2-4-29](#)
- securing the area [2-4-30 to 2-4-31](#)
- ship fumigation [2-6-13 to 2-6-14](#)
- structure fumigation [2-7-15 to 2-7-16](#)
- tarpaulin fumigation
  - methyl bromide [2-4-29 to 2-4-40](#)
- vacuum fumigation chambers [2-5-6](#)
- wearing respiratory protection [2-4-31](#)

### Aerosols

- application of [2-11-1](#)
- dosages [2-11-1](#)
- safety precautions [2-11-4](#)

### Aframomum melegueta [5-2-27](#), [5-2-28](#)

### Agapanthus

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)

### Agriolimacidae

- treatment T201-I
  - MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-6](#)

### Air purifying respirators [8-1-12](#)

- See also* Respiratory protection

### Air velocity measuring instruments

- anemometer [8-1-26](#)
- velometer [8-1-27](#)

### Aircraft

- application of micronized dusts [2-11-2 to 2-11-3](#)
- treatment T409-a [5-5-24 to 5-5-28](#)

### Alarm systems

- requirements for hot water immersion
- treatment [3-3-12](#)

### Aleurocanthus woglumi

- fruit treatment schedule [5-2-25](#)
- plant treatment schedule [5-3-12](#)

### Alfalfa

- treatment T520-1-1
  - Dust with 75 percent Thiram at the rate of 166 grams per 50 kilograms of seed (3.3g/

- kg). 5-6-14
- Allium**  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. 5-6-14
- Allium schoenoprasum** 5-2-27, 5-2-28
- Allium tuberosum** 5-2-27, 5-2-28
- Allspice** 5-2-27, 5-2-28
- Aloe**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Alpha grass**  
treatment T303-a  
MB at NAP—chamber only 5-4-14
- Aluminum phosphide**  
measurment of phosphine 8-1-23  
See also Phosphine  
threshold limit value for phosphine 8-1-12  
use in atmospheric fumigation chambers 6-3-2
- Amaryllis**  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. 5-6-14, 5-6-18
- American Bureau of Shipping** 6-4-2
- Amorphophallus**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Ampelodesma mauriticus**  
treatment T303-a  
MB at NAP—chamber only 5-4-14
- Ampelopsis**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Amphulariidae**  
treatment T201-q  
Hot water treatment 112°F for 10 minutes 5-3-3
- Anastrepha ludens**  
treatment T106-a-1  
Vapor heat 5-2-60
- Anastrepha spp.**  
methyl bromide fumigation  
treatment schedule 5-2-18, 5-2-25, 5-2-36  
vapor heat treatment schedules 5-2-60
- Anchusa**  
treatment T553-2  
Hot water at 118°F for 30 minutes. 5-6-15
- Anemometer** 8-1-26
- Anemone**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Anethum graveolens** 5-2-27, 5-2-28
- Angelica** 5-2-27, 5-2-28
- Angelica archangelica** 5-2-27, 5-2-28
- Animal and Plant Health Inspection Service** 2-3-2, 3-3-3  
financing of commercial ventures 6-5-10  
preclearance program for foreign treatment facilities 6-5-5 to 6-5-10  
preclearance program for vessels used for intran-sit cold treatment 6-4-2 to 6-4-4
- Anise** 5-2-27, 5-2-28
- anise seed** 5-2-27, 5-2-28
- Anise star** 5-2-27, 5-2-28
- Annatto** 5-2-27, 5-2-28
- annual marjoram** 5-2-27, 5-2-28
- Anthemis nobilis** 5-2-27, 5-2-28
- Anthriscus cerefolium** 5-2-27, 5-2-28
- Anthonomus grandis**  
treatment T301-a-3  
MB (“Q” label only) at NAP—tarpaulin 5-4-4
- Ants**  
treatment schedules for nonplant products 5-5-38
- Aphelenchoides besseyi**  
treatment T564-1  
Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram 5-6-18
- Aphelenchoides subtenuis**  
treatment T565-2  
Hot water at 110°F for 4 hours. (Should be done immediately after digging.) 5-6-18
- Aphids**  
treatment T201-g-1  
MB (“Q” label only) at NAP—tarpaulin or chamber 5-3-5
- APHIS**  
See Animal and Plant Health Inspection Service
- Apicum graveolens** 5-2-27, 5-2-28

## Appendix

Maintenance- Supporting and Updating the Export Certification Manual [C-1-1 to C-1-5](#), [D-1-1 to D-1-2](#), [E-1-1](#), [F-1-1](#), [G-1-1](#), [H-1-1 to H-1-58](#), [I-1-1 to ??](#), [J-1-1 to ??](#), [K-1-1 to ??](#)

Plants in Growing Media [C-1-1](#), [E-1-1](#), [F-1-1](#), [G-1-1](#), [H-1-1](#), [I-1-1](#), [J-1-1](#)

Apple [5-2-56](#)

maximum loading temperature [3-7-9](#)

methyl bromide fumigation treatment schedule [5-2-3](#)

T107-a cold treatment schedule [5-2-67](#)

T107-b cold treatment schedule [5-2-67](#)

T107-c cold treatment schedule [5-2-68](#)

T107-d cold treatment schedule [5-2-68](#)

T108-a fumigation plus cold treatment [5-2-70](#)

T108-b MB at NAP — tarpaulin or chamber followed by cold treatment [5-2-72](#)

Application of manual [1-1-3](#)Apricot [5-2-56](#)

T107-a cold treatment schedule [5-2-67](#)

T107-b cold treatment schedule [5-2-67](#)

T107-c cold treatment schedule [5-2-68](#)

T107-e cold treatment schedule [5-2-68](#)

T108-a fumigation plus cold treatment [5-2-70](#)

treatment T101-a-3

MB at NAP—tarpaulin or chamber [5-2-3](#)

## Aquatic plants

treatment T201-q

Hot water treatment 112°F for 10 minutes. [5-3-3](#)

## Arionidae

treatment T201-l

MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-6](#)

## Armoracea

treatment T553-3

Hot water at 118°F for 30 minutes. [5-6-15](#)

Artemisia absinthium [5-2-27](#), [5-2-28](#)Artemisia dracunculus [5-2-27](#), [5-2-28](#)

## Ascarite

use in T/C units [8-1-3](#), [8-1-6](#)

## Ascochyta

treatment T513-1

Defoliate if leaf-borne only [5-6-11](#)

Asparagus [5-2-56](#)

treatment T101-b-1

MB (“Q” label only) at NAP—tarpaulin or chamber [5-2-3 to 5-2-4](#), [?? to 5-2-32](#)

## Asphalt surfaces

effect of malathion sprays [2-6-5](#)

treatment T402-b-3-2

Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the point of runoff. [5-5-3](#)

## Astilbe

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

## Astilbe roots

treatment T202-b

MB (“Q” label only) in 26" vacuum [5-3-20](#)

## Astilbe spp.

treatment T553-2

Hot water at 118°F for 30 minutes. [5-6-15](#)

treatment T564-1

Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram [5-6-18](#)

## Atmospheric fumigation chambers

approval process [6-3-2](#)

auxiliary equipment [6-3-5](#)

chamber [6-3-2](#)

circulation and exhaust systems [6-3-3](#)

description of [?? to 6-3-2](#)

forced-air circulation plan [6-3-9](#)

fumigant dispensing system [6-3-4](#)

gas-tight construction [6-3-3](#)

generalized plan [6-3-7](#), [6-3-8](#)

pressure-leakage test [6-3-4 to 6-3-5](#)

U tube manometer [6-3-4 to 6-3-5](#), [6-3-6](#), [8-1-28 to 8-1-30](#)

## Australia

asparagus treatment schedule [5-2-4](#)

## Automobiles

treatment schedule for golden nematode contamination [5-5-18](#)

Auxiliary pump [8-1-27 to 8-1-28](#)

illustration [8-1-28](#)

Avocado [5-2-56](#)

T107-a cold treatment schedule [5-2-67](#)

T108-a fumigation plus cold treatment [5-2-70](#)

## Avocadoes

countries prohibited from exporting to the United States [5-2-75](#)

treatment T101-c-1

MB at NAP—tarpaulin or chamber [5-2-4](#)

treatment T203-m

MB (“Q” label only) at 26" vacuum [5-3-26](#)

## Azalea

treatment T201-a-2

MB (“Q” label only) in 26" vacuum [5-3-7](#)

treatment T501-1

Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bor-

deaux dip or spray. [5-6-3](#)

#### Azaleodendron

treatment T501-2

Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. [5-6-3](#)

## B

*B. hirta* [5-2-27](#), [5-2-28](#)

*B. nigra* [5-2-27](#), [5-2-28](#)

#### Bactrocera cucurbitae

high temperature forced air treatment  
schedule [5-2-50 to 5-2-55](#)

methyl bromide fumigation treatment  
schedule [5-2-4](#)

vapor heat treatment schedules [5-2-60 to 5-2-65](#)

#### Bactrocera dorsalis

high temperature forced air treatment  
schedule [5-2-50 to 5-2-55](#)

methyl bromide fumigation treatment  
schedule [5-2-4](#)

vapor heat treatment schedules [5-2-60 to 5-2-65](#)  
water treatment schedule [5-2-47](#)

#### Bactrocera tryoni

fumigation followed by cold treatment  
schedule [?? to 5-2-71](#)

#### Bags and bagging material

treatment T306

Bags and Bagging Material, Covers [5-4-16 to 5-4-18](#)

treatment T503-1-1

Soak in formaldehyde for 1 hour, 1 pint of commercial formaldehyde to 10 gallons of water. [5-6-5](#)

#### Baled hay

treatment T311

Phosphine at NAP [5-4-25](#)

#### Baled straw

treatment schedule [3-4-2](#)

Balm [5-2-27](#), [5-2-28](#)

#### Banana roots

treatment T202-c

Hot water 110°F for 30 minutes as pretreatment followed by 120°F for 60 minutes. [5-3-21](#)

#### Bananas

[5-2-56](#)

treatment T101-d-1

MB at NAP—tarpaulin or chamber [5-2-4](#)

#### Barges

treatment schedule for golden nematode contamination [5-5-18](#)

#### Baris lepidii

treatment T101-l-2

MB in 15" vacuum—chamber [5-2-28](#)

Basil [5-2-27](#), [5-2-28](#)

Batch system [3-3-4](#)

bay leaf [5-2-27](#), [5-2-28](#)

#### Beans

methyl bromide fumigation treatment  
schedule [5-2-25 to 5-2-26](#)

treatment T101-e-1

MB at NAP—tarpaulin or chamber [5-2-5](#)

#### Beets

treatment T101-g-1MB chamber, 15"  
vacuum—chamber [5-2-5](#)

#### Begonia

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

treatment T559-1

Dip in hot water at 118°F for 5 minutes. [5-6-17](#)

#### Belize

papaya treatment T103-d-2

High temperature forced air [5-2-54 to 5-2-55](#)

#### Bell peppers

treatment T106-b-1

Vapor heat [5-2-60](#)

#### Berberis

treatment T201-a-2

MB ("Q" label only) in 26" vacuum [5-3-7](#)

#### Black currants

countries prohibited from exporting to the United States [5-2-75](#)

#### Blackberries

treatment T101-h-1

MB at NAP—tarpaulin or chamber [5-2-6](#)

#### Bletilla hyacinthina

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

treatment T564-1

Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram [5-6-18](#)

#### Blowers

See Fans

Blueberries [5-2-56](#)

- treatment T101-i-1  
MB at NAP—tarpaulin or chamber 5-2-6
- Boilers**  
requirements for hot water immersion  
treatment 3-3-6
- Boll weevil**  
treatment T301-a-3  
MB ("Q" label only) at NAP—tarpaulin 5-4-4
- Bombay, India**  
treatment schedules for brassware 5-5-40
- Bothanomyia spp.**  
treatment T203-o-1  
MB ("Q" label only) in 26" vacuum 5-3-32
- Borage** 5-2-27, 5-2-28
- Borago officinalis** 5-2-27, 5-2-28
- Borers**  
plant material treatment schedule 5-3-4, 5-3-7, 5-3-11 to 5-3-14  
plant products treatment schedule 5-4-8, 5-4-15, 5-5-14  
wood products treatment schedules 5-5-11, 5-5-15
- Brachycerus spp.**  
garlic treatment schedule 5-2-22  
plants treatment schedule 5-3-21
- Brachyrhinus larvae**  
treatment T202-b  
MB ("Q" label only) in 26" vacuum 5-3-20
- Brassica juncea** 5-2-27, 5-2-28
- Brassica spp.**  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber 5-2-7, 5-2-18
- Brassware**  
treatment schedule 5-5-40
- Breadfruit**  
treatment T102-c  
Warm, soapy water and brushing 5-2-46
- Break bulk cargo**  
arranging for fumigation 2-3-8  
fan arrangement 2-3-8  
gas introduction line placement 2-3-8  
gas sampling tube placement 2-3-8
- Brevipalpus chilensis**  
methyl bromide fumigation treatment  
schedule 5-2-31, 5-2-32  
water treatment schedule 5-2-46 to 5-2-47, 5-2-50 to ??
- Bribery** 6-5-9
- Broccoli**  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber 5-2-7
- Bromeliads**  
treatment T201-e-2  
MB ("Q" label only) at 15" vacuum 5-3-4  
treatment T507-1  
Remove infected leaves and treat all plants of same species in shipment with Ferbam or Captan following label directions. 5-6-8
- Broomcorn**  
treatment schedules 5-4-23  
treatment T566-1  
Hot water at 102°F. 5-6-19
- Bruchidae**  
seeds treatment schedule 5-3-31  
vegetables treatment schedule 5-2-5, 5-2-21 to 5-2-22, 5-2-32, 5-2-37, 5-2-39
- Bruchophagus spp.**  
treatment T203-o-3  
MB ("Q" label only) in 26" vacuum 5-3-33
- Brussels sprouts**  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber 5-2-8
- Bulb nematodes**  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. 5-6-14  
treatment T567-1  
Dip in hot water at 113°F for 4 hours. 5-6-19
- Bulb scale mite**  
treatment T202-i-1  
MB ("Q" label only) at NAP 5-3-24
- Bulbs**  
treatment schedules 5-3-20 to 5-3-21  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. 5-6-14
- Bulinidae**  
treatment T201-q  
Hot water treatment 112°F for 10 minutes. *Elo-dea densa* and *Cabomba caroliniana* plants not tolerant to this treatment. 5-3-3
- Bulk fumigation** 2-10-6 to 2-10-7
- Bulk material**  
fan operation 2-2-3
- Bulkheads**

treatment T402-b-3-1  
 Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the point of runoff. [5-5-3](#)

Bumet [5-2-27, 5-2-28](#)

## C

### Cabbage

T101-n-2 treatment schedule [5-2-19](#)  
 T101-n-2 treatment T101-j-1  
 MB at NAP—tarpaulin or chamber [5-2-9](#)

cabbage [5-2-56](#)

### Cabbageworms

treatment T403-f  
 MB at NAP [5-5-13](#)

### Cacti

treatment T201-f-1  
 MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-4 to 5-3-5](#)  
 treatment T553-1  
 Hot water at 118°F for 30 minutes. [5-6-15](#)

### Cacti fruits

treatment T101-d-3  
 MB at NAP—tarpaulin or chamber [5-2-43](#)

cactus fruit [5-2-56](#)

*Calendula officinalis* [5-2-27, 5-2-28](#)

Calibration certificate [3-7-17, 3-7-19](#)

Calibration of Temperature Sensors record [3-7-7](#)

### Calla

treatment T556-1  
 Dip in hot water at 122°F for 30 minutes. [5-6-16](#)

### Calliopsis

treatment T553-1  
 Hot water at 118°F for 30 minutes. [5-6-15](#)

### Camellia

treatment T201-b-1  
 MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-9](#)  
 treatment T509-1-1  
 Light infection  
 Remove infected leaves and dip or spray plant with 4-4-50 Bordeaux. Dry quickly and thoroughly before release. [5-6-9](#)

Camomile [5-2-27, 5-2-28](#)

### Campanula

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

### Canada

treatment schedule for pines [5-3-16](#)

### Cantaloupe

treatment T101-k-1  
 MB at NAP—tarpaulin or chamber [5-2-11](#)

Caper buds [5-2-27, 5-2-28](#)

*Capparis spinosa* [5-2-27, 5-2-28](#)

### Carambola

T107-c cold treatment schedule [5-2-68](#)  
 T107-f cold treatment schedule [5-2-69](#)  
 treatment  
 Use T105-a-1 Irradiation [5-2-58](#)

Caraway [5-2-27, 5-2-28](#)

### Carbon dioxide

effects and removal from gas samples [8-1-3, 8-1-7](#)

Cardamom [5-2-27, 5-2-28](#)

### Cargo

golden nematode contamination treatment schedule [5-5-18](#)  
 non-food, non-feed commodities treatment schedules [5-5-6 to 5-5-13](#)

### Cargo compartments

application of micronized dusts [2-11-3](#)

### Carposina niponensis

treatment T109-a-1  
 (apples in plastic field bins at maximum load factor 50 percent or less) Cold treatment followed by MB at NAP—tarpaulin or chamber [5-2-74](#)

### Carrots

treatment T101-l-1  
 MB at NAP—tarpaulin or chamber—chamber [5-2-12](#)

*Carum carvi* [5-2-27, 5-2-28](#)

### Caryedon spp.

treatment T203-b  
 MB ("Q" label only) in 26" vacuum [5-3-31](#)  
 treatment T203-o-4-1  
 MB ("Q" label only) in 26" vacuum [5-3-33](#)

### Cassava

treatment T101-n-1  
 MB at NAP—tarpaulin or chamber [5-2-12](#)

Cassia bark [5-2-27, 5-2-28](#)

Cassia buds [5-2-27, 5-2-28](#)



- Casuarina**  
treatment T203-o-1  
MB ("Q" label only) in 26" vacuum [5-3-32](#)
- Catnip** [5-2-27](#), [5-2-28](#)
- Cattleya fly**  
treatment T201-d-3  
MB ("Q" label only) in 15" vacuum [5-3-14](#)
- Cauliflower**  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber [5-2-13](#)
- Cecidomyid galls**  
treatment T201-d-4  
Excised in all cases [5-3-14](#)
- Cedrus**  
treatment T201-b-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-9](#)
- Celeriac**  
treatment T101-n-1  
MB at NAP—tarpaulin or chamber [5-2-14](#)
- Celery** [5-2-56](#)
- Celery and celery root**  
treatment T101-n-1  
MB at NAP—tarpaulin or chamber [5-2-14](#)
- Celery seed** [5-2-27](#), [5-2-28](#)
- Cerambycids**  
treatment T404-b-1-1  
MB at NAP—tarpaulin or chamber [5-5-14](#)  
treatment T404-b-5-1  
Chlorpyrifos spray [5-5-13](#)
- Ceratitis capitata**  
cold treatment schedule [5-2-67](#)  
fumigation followed by cold treatment  
schedule [5-2-70](#) to [5-2-71](#)  
high temperature forced air treatment  
schedule [5-2-52](#) to [5-2-55](#)  
methyl bromide fumigation treatment  
schedule [5-2-4](#), [5-2-7](#), [5-2-18](#), [5-2-24](#), [5-2-29](#),  
[5-2-43](#) to [5-2-49](#)  
vapor heat treatment schedules [5-2-60](#) to [5-2-65](#)  
water treatment schedule [5-2-47](#) to [5-2-49](#)
- Cercospora spp.**  
treatment T501-3  
Remove infected parts and treat all plants of  
same species in shipment with 4-4-50 Bor-  
deaux dip or spray. [5-6-3](#)
- Certificate of Approval**  
for vapor heat treatment equipment [3-5-3](#)
- Certificate of calibration** [3-7-10](#)
- Certificate of Loading and Calibration for Cold Treat-  
ment in Self-Refrigerated Containers**  
document [3-7-19](#)
- Certified glass-mercury thermometer** [3-3-8](#)
- Certifying facilities**  
atmospheric fumigation chambers [??](#) to [6-3-9](#)  
cold treatment [??](#) to [6-4-9](#)  
hot water immersion facilities [6-5-1](#) to [6-5-10](#)  
vacuum fumigation chambers [??](#) to [6-2-4](#)
- Certifying officers** [3-7-9](#)
- Cestrum**  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- Chamber fumigation**  
methyl bromide  
aerating the chamber [2-5-4](#) to [2-5-5](#)  
conducting the fumigation [2-5-2](#) to [2-5-4](#)  
materials needed [2-5-2](#)
- Chart recorders**  
APHIS approved models [3-3-10](#)  
calculating chart speed [3-7-12](#)  
checking operation [3-7-6](#)  
clearing shipments cold treated in transit [3-7-10](#)  
to [3-7-16](#)  
for intransit cold treatment of ships [3-7-3](#)  
obtaining chart length [3-7-13](#)  
specifications [3-3-11](#)
- Chayote** [5-2-56](#)  
treatment T101-p-1  
MB at NAP—tarpaulin or chamber [5-2-15](#)
- Chemical dip**  
treatment schedule for plants [5-3-13](#), [5-3-19](#)
- Chemical treatments**  
aerosols [2-11-1](#), [2-11-4](#)  
dips [5-3-13](#) to [5-3-19](#)  
dusts [2-13-1](#)  
fumigants  
authorized fumigants [2-2-2](#)  
characteristics of ideal fumigant [2-2-1](#)  
methyl bromide [2-3-1](#) to [2-3-8](#)  
mode of action [2-2-2](#)  
phosphine [2-10-1](#) to [2-10-9](#)  
physical properties [2-2-4](#)  
supervision of quarantine treatments [2-2-2](#) to  
[2-2-4](#)  
toxicity of [2-2-1](#)  
micronized dusts [2-11-2](#) to [2-11-4](#)  
overview [2-1-1](#)  
sprays [2-14-1](#)
- Cherimoya**  
treatment T102-b  
Soapy water and wax [5-2-46](#), [5-2-50](#)

- Cherries**  
 fumigation chamber standards for exports 6-3-5  
 treatment schedule 5-2-15  
 treatment T101-r-1  
 MB at NAP—tarpaulin or chamber 5-2-15
- Cherry**  
 T107-a cold treatment schedule 5-2-67  
 T107-b cold treatment schedule 5-2-67  
 T107-c cold treatment schedule 5-2-68  
 T108-a fumigation plus cold treatment 5-2-70
- cherry** 5-2-56
- Chervil** 5-2-27, 5-2-28
- chestnut** 5-2-56
- Chestnut dioon**  
 treatment T201-h-2  
 MB (“Q” label only) in 26" vacuum 5-3-8
- Chestnuts**  
 treatment T101-u-1  
 MB in 26" vacuum—chamber 5-2-16  
 treatment T203-e (mandatory treatment)  
 MB (“Q” label only) at  
 26" vacuum 5-3-27
- Chicory** 5-2-56
- Chicory and chicory root**  
 treatment T101-v-1  
 MB at NAP—tarpaulin or chamber 5-2-16 to  
 5-2-17
- Chile**  
 cherimoya treatment schedule 5-2-46, 5-2-50  
 grapes treatment schedule 5-2-24  
 lemons treatment schedule 5-2-31  
 limes treatment schedule 5-2-32, 5-2-47  
 mountain papaya treatment schedule 5-2-53 to  
 5-2-54  
 tomato treatment schedule 5-2-43
- Chilean false spider mite**  
 methyl bromide fumigation treatment  
 schedule 5-2-31  
 water treatment schedule 5-2-46 to 5-2-47,  
 5-2-50, ?? to 5-2-50
- Chinese** 5-2-27
- Chinese Cabbage**  
 treatment T101-n-2  
 MB at NAP—tarpaulin or chamber 5-2-10
- Chinese mustard**  
 treatment T101-n-2  
 MB at NAP—tarpaulin or chamber 5-2-11
- Chinese parsley** 5-2-27, 5-2-28
- Chive** 5-2-27, 5-2-28
- Chive, Chinese** 5-2-28
- Christmas trees**  
 treatment schedules 5-4-26  
 treatment T501-5  
 Remove infected parts and treat all plants of  
 same species in shipment with 4-4-50 Bor-  
 deaux dip or spray. 5-6-3
- Chrysanthemum balsamita** 5-2-27, 5-2-28
- Chrysanthemum spp.**  
 treatment T201-g-1  
 MB (“Q” label only) at NAP—tarpaulin or  
 chamber 5-3-5  
 treatment T501-4  
 Remove infected parts and treat all plants of  
 same species in shipment with 4-4-50 Bor-  
 deaux dip or spray. 5-6-3  
 treatment T557-1  
 Dip in hot water at 118°F for 25 minutes. 5-6-16
- Chrysomya spp.**  
 treatment T501-1  
 Remove infected parts and treat all plants of  
 same species in shipment with 4-4-50 Bor-  
 deaux dip or spray. 5-6-3  
 treatment T501-6  
 Remove infected parts and treat all plants of  
 same species in shipment with 4-4-50 Bor-  
 deaux dip or spray. 5-6-4
- Cigarette beetle**  
 treatment T308-d  
 Kabat® (active ingredient—methoprene) is an  
 insect growth regulator applied at the rate of  
 0.2 pounds (3.9 fluid ounces) per 1,000  
 pounds of tobacco. 5-4-20
- cilantro** 5-2-27, 5-2-28
- Cimicifuga**  
 treatment T553-1  
 Hot water at 118°F for 30 minutes. 5-6-15  
 treatment T564-1  
 Presoak in water at 68°F for 1 hour followed by  
 hot water soak at 110°F for 1 hour. Next, dip  
 in a cold solution of 0.25 percent  
 Thiram 5-6-18
- Cinnamomum aromaticum** 5-2-27, 5-2-28
- Cinnamomum verum** 5-2-27, 5-2-28
- Cinnamon** 5-2-27, 5-2-28
- Cipollini** 5-2-56  
 treatment T101-w-1  
 MB in 15" vacuum—chamber 5-2-17
- Circulation and exhaust systems**



- atmospheric fumigation chambers [6-3-3](#)
- vacuum fumigation chambers [6-2-2](#)
- Cissus**
  - treatment T553-1
    - Hot water at 118°F for 30 minutes. [5-6-15](#)
- Citron**
  - T107-b cold treatment schedule [5-2-67](#)
- citron (ethrog)** [5-2-56](#)
- Citrus**
  - countries prohibited from exporting to the United States [5-2-75](#)
  - high temperature forced air treatment schedule [5-2-50](#)
  - methyl bromide fumigation treatment schedule [5-2-18](#)
  - T107-a cold treatment schedule [5-2-67](#)
  - T107-e cold treatment schedule [5-2-68](#)
- Citrus blackfly**
  - fruit treatment schedule [5-2-25](#)
  - plant treatment schedule [5-3-12](#)
- Citrus canker**
  - treatment T511-1
    - Wash seeds if any mucilaginous material is adhering. [5-6-10](#)
- Citrus whitefly**
  - treatment T201-k-1
    - MB ("Q" label only) at NAP [5-3-10](#)
- Clary** [5-2-27](#), [5-2-28](#)
- Clearance Action by Officer** [3-7-15](#)
- Clematis**
  - treatment T553-2
    - Hot water at 118°F for 30 minutes. [5-6-15](#)
- Clementine**
  - T107-a cold treatment schedule [5-2-67](#)
  - T107-b cold treatment schedule [5-2-67](#)
  - T107-c cold treatment schedule [5-2-68](#)
- Clementines**
  - methyl bromide fumigation treatment [5-2-18](#)
  - vapor heat treatment schedules [5-2-60](#)
- Clove buds** [5-2-27](#), [5-2-28](#)
- CO**
  - See Certifying officers
- CO2 fire extinguishers**
  - for application of micronized dusts [2-11-2](#)
  - safety precautions [2-11-4](#)
- Coast Guard Regulations** [B-1-1 to B-1-8](#)
- cocoa bean** [5-2-56](#)
- Coconuts** [5-2-56](#)
  - treatment T101-x-1
    - MB ("Q" label only) at NAP—tarpaulin or chamber [5-2-19](#)
- Codling moth**
  - treatment T101-s-1
    - MB at NAP—chamber only [5-2-15](#)
- Coffee beans**
  - treatment schedule for bagging [5-4-17](#)
- Cold treatment**
  - fumigation followed by cold treatment schedules [5-2-70](#)
  - fumigation plus refrigeration treatment schedules for fruits [5-2-70](#)
  - integral containers used for cold treatment [6-4-7 to 6-4-8](#)
  - approval requirements [6-4-7](#)
  - list of approved [F-1-1](#)
  - temperature recording instruments standards [6-4-7](#)
  - intransit cold treatment of ships
    - approval for [3-7-2](#)
    - clearance of shipments [3-7-10 to 3-7-16](#)
    - initiating treatments [3-7-6 to 3-7-10](#)
    - performance survey of vessels [3-7-2 to 3-7-5](#)
    - progressive clearance [3-7-16](#)
    - self-refrigerated containers [3-7-16 to 3-7-20](#)
    - warehouses [3-7-21 to 3-7-22](#)
  - schedules for [5-2-66 to 5-2-69](#)
  - vessels used for intransit cold treatment [6-4-2 to 6-4-7](#)
    - approval requirements [6-4-2 to 6-4-3](#)
    - list of approved [G-1-1](#)
    - temperature recording systems standards [6-4-4](#)
  - warehouses used for [6-4-8 to 6-4-9](#)
- Coles**
  - treatment T101-n-2
    - MB at NAP—tarpaulin or chamber [5-2-7](#), [5-2-18](#)
- Collard greens**
  - treatment schedule T101-n-2, [5-2-19](#)
- Colorimetric tubes** [2-3-4](#)
- Commercial line conditioner**
  - requirements for hot water immersion treatment [3-3-5](#)
- Compressed air**
  - See CO2 fire extinguishers
- Compressed air specifications** [8-1-22](#)
- Compressed Gas Association** [8-1-22](#)
- Computers**

- requirements for hot water immersion treatment 3-3-5
- Concentration readings**  
 chamber fumigation 2-5-5, 2-5-6, 2-5-7  
 phosphine 2-10-9  
 ship fumigation 2-6-13 to 2-6-14  
 structure fumigation 2-7-16  
 tarpaulin fumigation  
   methyl bromide 2-4-19 to 2-4-22
- Concrete surfaces**  
 treatment T404-b-5-1  
   Chlorpyrifos spray 5-5-13 to 5-5-14
- Conifer Christmas trees**  
 treatment T313-a  
   MB ("Q" label only) at NAP—tarpaulin or chamber 5-4-26
- Conifer seeds**  
 treatment T203-i-1  
   MB ("Q" label only) at NAP 5-3-27
- Conogethes punctiferalis**  
 treatment T109-a-1  
   (apples in plastic field bins at maximum load factor 50 percent or less) Cold treatment followed by MB at NAP—tarpaulin or chamber 5-2-74
- Conopomorpha sinensis**  
 treatment T107-h  
   Cold treatment 5-2-69
- Construction**  
 T406-d steam at NAP — tarpaulin, or tent 5-5-19
- Construction equipment**  
 treatment schedule for golden nematode contamination 5-5-18
- Container fumigation**  
 phosphine 2-10-8
- Container vessels**  
 clearing shipments cold treated in transit 3-7-10 to 3-7-16  
 temperature recorders 3-7-9  
 temperature sensors 3-7-3 to 3-7-5, 3-7-7 to 3-7-9
- Containerized cargo**  
 aeration of 2-4-31, 2-5-6  
 arrangement for fumigation 2-4-7 to 2-4-8  
 fan arrangement 2-4-10  
 gas introduction line placement 2-4-11  
 gas sampling tube placement 2-4-11
- Containers**  
 golden nematode treatment schedule 5-5-18  
 potato cyst nematode treatment schedule 5-6-7  
 T406-d steam at NAP — tarpaulin, or tent 5-5-19
- wood containers treatment schedules 5-5-14 to 5-5-16
- Continuous flow system** 3-3-4
- Convallaria (pips)**  
 treatment T551-1  
   Keep pips frozen until time for treatment, then thaw enough to separate bundles one from another just before treatment begins. 5-6-14
- Conventions** 1-1-4
- Conversion factors** 2-2-3
- Conversion Tables** D-1-1 to D-1-2
- Convolvulus japonicus**  
 treatment T553-1  
   Hot water at 118°F for 30 minutes. 5-6-15
- Cooperative agreements** 3-7-6
- Copitarsia spp.**  
 asparagus treatment schedule 5-2-3  
 banana treatment schedule 5-2-4  
 blackberry treatment schedules 5-2-6  
 melons treatment schedules 5-2-33  
 plantain treatment schedules 5-2-38  
 raspberry treatment schedules 5-2-41
- Copra**  
 treatment T101-x-1  
   MB ("Q" label only) at NAP—tarpaulin or chamber 5-2-19
- Coriander** 5-2-27, 5-2-28
- Coriandor** 5-2-27
- Coriandor (cilantro) (seed)** 5-2-28
- Coriandrum sativum** 5-2-27, 5-2-28
- Corms**  
 treatment T202-a-1  
   MB ("Q" label only) at NAP—Chamber 5-3-20 to 5-3-21
- Corn**  
 treatment schedules 5-4-7, 5-6-10
- Corn-on-the-Cob** 5-2-56
- Corn-on-the-cob**  
 countries prohibited from exporting to the United States 5-2-75  
 methyl bromide fumigation treatment schedule 5-2-20
- Corrective lenses and respiratory protection** 8-1-17, 8-1-19

- Corrugated cartons  
fumigation and 2-3-5
- Corytholoma  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Costmary 5-2-27, 5-2-28
- Cotton and cotton products  
treatment schedules 5-4-2 to 5-4-5
- Cotton pickers  
treatment schedule 5-5-21
- Cottonseed  
treatment T203-f-1  
MB ("Q" label only) at NAP—chamber 5-3-28 to 5-3-29  
treatment T301-a-1-1  
MB ("Q" label only) at NAP—chamber 5-4-5 to 5-4-6
- Covers  
treatment schedules 5-4-16 to 5-4-17  
treatment T503-2-1  
Soak in formaldehyde for 1 hour, 1 pint of commercial formaldehyde to 10 gallons of water. 5-6-5
- Crocus  
treatment T565-2  
Hot water at 110°F for 4 hours. (Should be done immediately after digging.) 5-6-18
- Crocus sativus 5-2-27, 5-2-28
- Cryptophlebia illepidia  
treatment T203-k  
MB ("Q" label only) at NAP 5-3-31
- Cryptophlebia leucotreta  
treatment T107-e  
Cold treatment 5-2-68
- Cucumbers 5-2-56  
treatment schedule 5-2-20
- Culantro 5-2-27
- Culantro (leaf) 5-2-28
- Cumin 5-2-27, 5-2-28
- Cuminum cyminum 5-2-27, 5-2-28
- Cupressus  
treatment T201-b-1  
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-9
- Curaway 5-2-27
- Curaway, black 5-2-28
- Curculio caryae  
treatment T107-g  
Cold treatment 5-2-69
- Curculio spp.  
treatment T101-t-1  
MB at NAP—tarpaulin or chamber 5-2-16  
treatment T302-g-1  
MB at NAP—tarpaulin, chamber, or van container 5-4-8
- Curcuma  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Curry 5-2-27
- Curry (leaf) 5-2-28
- Cuscuta spp.  
treatment T412-b-1  
Dry heat—commodity heated to 212°F (100°C) for 15 minutes 5-5-39
- Cut Flowers  
See Flowers
- Cuttings  
plants  
treatment T201-d-1  
MB ("Q" label only) at NAP tarpaulin or chamber, see T201-a-1 5-3-13 to 5-3-15  
treatment T201-m-1  
MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-16 to 5-3-18
- Cycads  
treatment T201-h-1  
MB ("Q" label only) in 15" vacuum 5-3-6
- Cyclamen  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Cydia fabivora  
treatment T101-k-2  
MB in 15" vacuum—chamber 5-2-25  
treatment T101-k-2-1  
MB at NAP—tarpaulin or chamber 5-2-26
- Cydia pomonella  
treatment T101-s-1  
MB at NAP—chamber only 5-2-15
- Cydia splendana  
treatment T101-t-1  
MB at NAP—tarpaulin or chamber 5-2-16  
treatment T302-g-1  
MB at NAP—tarpaulin, chamber, or van container 5-4-8

*Cylindrosporium camalliae*  
treatment T509-1-1  
Light infection  
Remove infected leaves and dip or spray plant with 4-4-50 Bordeaux. Dry quickly and thoroughly before release. [5-6-9](#)

*Cymbopogon citratus* [5-2-27](#), [5-2-28](#)

*Cyst nematodes*  
treatment T553-5  
Hot water at 118°F for 30 minutes. [5-6-15](#)

*Cytisus*  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

## D

*Dahlia*  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

*Dasheen*  
treatment T102-a-2  
MB chamber, 15" vacuum-chamber [5-2-20](#) to [5-2-21](#)

*Data logger*  
checking operations [3-7-6](#)  
clearing shipments cold treated in transit [3-7-10](#) to [3-7-16](#)  
for intransit cold treatment of ships [3-7-3](#)

*Data logger recorders*  
APHIS approved models [3-3-10](#)

*Deciduous woody plants*  
treatment T201-a-1 MB  
("Q" label only) at NAP [5-3-6](#)

*Decks*  
treatment T402-b-3-1  
Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the point of runoff [5-5-3](#)

*Decontamination*  
of respiratory protection [8-1-19](#) to [8-1-21](#)

*Delinting* [5-4-3](#)

*Desiccants* [8-1-4](#), [8-1-5](#), [8-1-6](#)

*Detector kits or gas samples*  
costs [8-1-31](#)  
operations [8-1-23](#) to [8-1-24](#)  
use for fumigants [8-1-23](#)

*Detia* [2-10-1](#)

*Devitalization Treatment*  
noxious weed seeds [5-5-38](#)

*Dialeurodes citri*  
treatment T201-k-1  
MB ("Q" label only) at NAP [5-3-10](#)

*Dicentra*  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

*Dieffenbachia spp.*  
treatment T201-i-1  
MB ("Q" label only) at NAP [5-3-8](#) to [5-3-9](#)

*Dill* [5-2-27](#), [5-2-28](#)

*Dill (seed)* [5-2-28](#)

*dillweed* [5-2-27](#), [5-2-28](#)

*Dinoderus*  
treatment T404-b-1-1  
MB at NAP—tarpaulin or chamber [5-5-14](#)  
treatment T404-b-5-1  
Chlorpyrifos spray [5-5-13](#)

*Dioon edule*  
treatment T201-h-2  
MB ("Q" label only) in 26" vacuum [5-3-8](#)

*Dioscorea spp.*  
treatment T101-f-3  
MB at NAP—tarpaulin or chamber [5-2-44](#)  
treatment T202-d  
MB ("Q" label only) at NAP [5-3-26](#)

*Dips* [5-3-13](#) to [5-3-19](#)

*Diptera*  
treatment T203-o-5  
MB ("Q" label only) at NAP [5-3-34](#)

*Directory of commercial suppliers* [H-1-1](#) to [H-1-58](#)

*Ditylenchus destructor*  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. [5-6-14](#)  
treatment T554-1-1  
Presoak in water at 70°F–80°F for 2.5 hours, followed by hot water immersion at 110°F–111°F for 1 hour. [5-6-16](#)  
treatment T565-1  
Hot water at 110°F for 4 hours. (Should be done immediately after digging.) [5-6-18](#)

*Ditylenchus dipsaci*  
treatment T552-1  
Presoak bulbs in water at 75°F for 2 hours, then at 110°F–111°F for 4 hours. [5-6-14](#)

treatment T554-1-2  
Hot water immersion at 110°F–111°F for 3 hours with no presoaking. [5-6-16](#)  
treatment T565-4  
Hot water at 110°F for 4 hours. (Should be done immediately after digging.) [5-6-19](#)

#### Documentation [1-1-3](#)

#### Dosage rates

methyl bromide  
chamber fumigation [2-5-3](#)  
determining temperature for [2-4-14](#)  
guidelines [2-2-3](#)  
ship fumigation [2-6-1](#)  
structure fumigation [2-7-1](#)  
tarpaulin fumigation [2-4-1](#)  
phosphine [2-10-1](#)  
using commodity or air temperature [2-5-3](#)

#### DOT

See U.S. Department of Transportation

#### Downy mildews

treatment schedules [5-6-5](#)

#### Dracaena spp.

treatment T201-i-1  
MB (“Q” label only) at NAP [5-3-8](#) to [5-3-9](#)  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

#### dried [5-2-27](#)

#### Drierite [2-4-21](#), [2-6-11](#), [2-7-14](#)

use in T/C units [8-1-3](#), [8-1-6](#)

#### Dry ice

safety precautions [4-2-1](#)

#### Durian

water treatment schedule [5-2-46](#)

#### Dust Masks [8-1-13](#)

See also Respiratory protection

#### Dusts [2-13-1](#)

#### Dyspessa ulula

treatment T101-e-2  
MB in 15" vacuum—chamber [5-2-22](#)  
treatment T202-j  
MB (“Q” label only) at 15" vacuum [5-3-21](#)

## E

#### Ear corn

treatment T302-a-1-1  
MB at NAP—chamber only [5-4-8](#)

#### Eggplant [5-2-56](#)

treatment T106-b-2  
Vapor heat [5-2-60](#)

#### Electrical wiring

requirements for hot water immersion treatment [3-3-5](#)

#### Electronic manometer [6-3-6](#), [8-1-30](#)

#### Elettaria cardamomum [5-2-27](#), [5-2-28](#)

#### Emergency Exemptions

See Section 18 Exemptions

#### Endive [5-2-56](#)

treatment T101-b-2  
MB at NAP—tarpaulin or chamber [5-2-21](#)

#### Environmental Protection Agency [4-1-1](#)

#### EPA

See Environmental Protection Agency

#### Epimendium pinnatum

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)  
treatment T564-1  
Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram [5-6-18](#)

#### Epinotia aporema

treatment T101-k-2  
MB in 15" vacuum—chamber [5-2-25](#) to [5-2-26](#)

#### Equipment [8-1-1](#) to [8-1-32](#)

air velocity measuring instruments [8-1-26](#)  
auxiliary pump [8-1-27](#) to [8-1-28](#)  
detector kits or gas samples [8-1-23](#) to [8-1-24](#)  
halide detector [8-1-9](#) to [8-1-11](#)  
open arm manometer [8-1-28](#) to [8-1-30](#)  
phosphine detector [8-1-31](#) to [8-1-32](#)  
reference guide to commercial suppliers [H-1-1](#) to [H-1-58](#)  
respiratory protection [8-1-12](#) to [8-1-23](#)  
See also *specific pieces of equipment*  
thermal conductivity gas analyzers [8-1-2](#) to [8-1-8](#)  
vacuum pump [8-1-30](#) to [8-1-31](#)  
volatilizer [8-1-24](#) to [8-1-26](#)

#### Eryngium foetidum [5-2-27](#), [5-2-28](#)

#### Ethrog

T107-a cold treatment schedule [5-2-67](#)  
T107-b cold treatment schedule [5-2-67](#)

#### Eugenia caryophyllata [5-2-27](#), [5-2-28](#)

#### Euonymus alata

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

**Eupatorium**

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

**Euphorbia**

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

**Europe**

treatment schedule for alfalfa [5-6-14](#)

**European cherry fruit fly**

treatment T203-o-5  
MB ("Q" label only) at NAP [5-3-34](#)

**European corn borer**

treatment T101-v-2  
MB at NAP—tarpaulin or chamber [5-2-39](#)  
treatment T101-x-1-1  
MB at NAP—tarpaulin or chamber [5-2-20](#)

**European fruit fly**

See *also* Fruit flies

**European pine shoot moth**

treatment T201-j  
MB ("Q" label only) at NAP [5-3-16](#)

**Eurytoma spp.**

treatment T201-d-5  
Hot water—118°F for 0.5 hour followed by a  
cool water bath [5-3-14](#)

**Eutetranychus orientalis**

treatment T107-a  
Cold treatment [5-2-67](#)

**Exhaust system**

installation of [2-4-31 to 2-4-36](#)

**Exosoma lusitanica**

treatment T101-w-1  
MB in 15" vacuum—chamber [5-2-17](#)

**Exotic legume pod borers**

treatment T101-k-2  
MB in 15" vacuum—chamber [5-2-25 to 5-2-26](#)

**Exposure periods**

adjusting  
for miscellaneous products [5-5-1](#)  
for plant products [5-4-1](#)  
ship fumigation [2-6-11](#)  
tarpaulin fumigation [2-4-33 to 2-4-40](#)

**External feeders**

See *specific pest by name*

**F****False codling moth**

treatment T107-e  
Cold treatment [5-2-68](#)

**False red mite**

treatment T108-a  
Three alternative schedules based upon the fu-  
migation exposure time [5-2-70](#)

**Fans**

arranging and operating  
guidelines [2-2-3 to 2-2-4](#)  
ship fumigation [2-6-5 to 2-6-6](#)  
structure fumigation [2-7-8](#)  
tarpaulin fumigation [2-4-10](#)  
determining number of [2-4-33](#)

**Farm equipment**

T406-d steam at NAP — tarpaulin, or tent [5-5-19](#)  
treatment schedule for golden nematode  
contamination [5-5-18](#)

**Fava bean (dried)** [5-2-56](#)**Fava beans (dried)**

treatment schedule [5-2-21 to 5-2-22](#)

**FDA**

See Food and Drug Administration

**Federal Insecticide, Fungicide, and Rodenticide**

Act [1-1-1](#)  
See *also* Section 18 Exemptions

**Feeds**

treatment schedules for Khapra beetles [5-4-16](#)

**Fennel** [5-2-27, 5-2-28](#)**Fennel (common)** [5-2-28](#)**Fenugreek** [5-2-27](#)**FIFRA**

See Federal Insecticide, Fungicide, and Rodenti-  
cide Act

**Financing** [6-5-10](#)**Fire Extinguishers**

See CO2 fire extinguishers

**Flag smut**

treatment T504-1-1  
Dry heat at 212°F for 1 hour. Treat small bales  
only. [5-6-5](#)

**Florida**

treatment schedule for orchids shipped to [5-6-9](#)

- Floronce** [5-2-27](#)
- Floronce (seed)** [5-2-28](#)
- Flour**  
treatment schedules for ships [5-5-6](#)
- Flowers**  
aerating [2-4-33](#)  
treatment schedules for cut flowers [5-4-15 to 5-4-16](#)
- Foeniculum vulgare** [5-2-27, 5-2-28](#)
- Foeniculum vulgare Azoricum Group** [5-2-27, 5-2-28](#)
- Foliar nematodes**  
treatment T553-4  
Hot water at 118°F for 30 minutes. [5-6-15](#)  
treatment T559-1  
Dip in hot water at 118°F for 5 minutes. [5-6-17](#)  
treatment T564-1  
Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram [5-6-18](#)
- Food and Drug Administration** [2-7-8](#)
- Foreign treatment facilities protocols** [6-5-5 to 6-5-10](#)
- Forms** [A-1-1 to A-1-30](#)  
APHIS Form 2061 (Residue Sample for Food or Feed Product) [A-1-2 to ??](#)  
Calibration of Temperature Probes (Cold Treatment) [A-1-28](#)  
Certificate of Loading and Calibration for Cold Treatment in Self Refrigerated Containers (Cold Treatment) [A-1-34](#)  
Container Specifications for the Approval of Self-refrigerated Containers for Use in Conducting In-transit Cold Treatment Under USDA Regulations (Cold Treatment) [A-1-35](#)  
Instructions to Captain (Cold Treatment) [A-1-32](#)  
Location of Temperature Sensors in Containerized Cargo (Cold Treatment) [A-1-33](#)  
PPQ Form 203 (Foreign Site Certificate of Inspection and/or Treatment) [A-1-25](#)  
PPQ Form 429 (Fumigation Record) [A-1-11 to A-1-15](#)  
PPQ Form 449 [3-7-5](#)  
PPQ Form 449-R (Temperature Recording Installation Report) [A-1-24](#)  
PPQ Form 519 (Compliance Agreement) [A-1-16](#)  
PPQ Form 523 (Emergency Action Notification) [2-4-4, 2-7-7, A-1-19 to A-1-22](#)  
PPQ Form 556 (In Transit Cold Treatment Clearance Report) [3-7-11, 3-7-16, 3-7-20, A-1-26](#)  
*See also specific forms by title*
- Fragaria**  
treatment T553-1
- Hot water at 118°F for 30 minutes. [5-6-15](#)  
treatment T558-1  
Dip in hot water at 127°F for 2 minutes. [5-6-17](#)  
treatment T569-1  
Hot water at 121°F for 7 minutes. (National Plant Board Conference, Tennessee, 1968) [5-6-20](#)
- fresh herbs** [5-2-56](#)
- Fruit**  
adjusting exposure period [2-4-23 to 2-4-25](#)  
aerating [2-4-33 to 2-4-35](#)  
cold treatment schedules [5-2-66 to 5-2-69](#)  
determining temperature for proper dosage rate [2-4-14](#)  
fumigation plus refrigeration treatment schedules [5-2-70](#)  
high temperature forced air treatment schedules [5-2-50 to 5-2-55](#)  
hot water immersion treatment  
air curtain [3-3-12](#)  
flow pattern [3-3-12](#)  
garbage disposal [3-3-12](#)  
loading treated fruit [3-3-13](#)  
post-treatment cooling options [3-3-14 to ??](#)  
pre-warming options [3-3-13](#)  
quarantine area [3-3-12](#)  
screening material [3-3-12](#)  
in shipboard-cooled containers [3-7-9 to 3-7-10](#)  
methyl bromide fumigation [5-2-3 to 5-2-45](#)  
pest specific/host variable treatment schedules [5-2-55 to 5-2-57](#)  
precooling [3-7-9](#)  
quick freeze treatment schedules [5-2-74](#)  
reporting commodity injury [5-2-1](#)  
*See also specific fruit by name*  
vapor heat treatment schedules [5-2-60](#)  
water treatment schedules [5-2-46 to 5-2-49](#)
- Fruit flies**  
aircraft treatment schedule [5-5-25](#)  
cold treatment for [6-4-1](#)  
cold treatment schedule [5-2-66 to 5-2-69](#)  
fumigation followed by cold treatment schedule [5-2-70 to 5-2-74](#)  
high temperature forced air treatment schedule [5-2-50 to 5-2-55](#)  
hot water immersion treatment for [6-5-1](#)  
methyl bromide fumigation treatment schedule [5-2-4, 5-2-7, 5-2-29, 5-2-43](#)  
railroad cars treatment schedules [5-5-2](#)  
*See also specific types of fruit flies*  
seeds treatment schedule [5-3-35](#)  
vapor heat treatment schedules [5-2-60 to 5-2-65](#)  
water treatment schedule [5-2-43](#)
- Fruit sensors**  
placement of [3-7-18](#)
- Fruit tree spider mite**  
apples treatment schedule [5-2-74](#)

**Fruit, exported**

fumigation chamber standards 6-3-5

**Fruit, imported**

cold treatment for ?? to 6-4-7

foreign treatment facilities protocols 6-5-5 to 6-5-10

hot water immersion treatment 6-5-1 to 6-5-5

**Fuji apples**

treatment T109-a-1

(apples in plastic field bins at maximum load factor 50 percent or less) Cold treatment followed by MB at NAP—tarpaulin or chamber 5-2-74

**Fumi-Cel 2-10-1****Fumigants**

authorized fumigants 2-2-2

characteristics of ideal fumigant 2-2-1

methyl bromide 2-3-1 to 2-3-8, 2-4-1 to 2-4-40, 2-5-1 to 2-5-7, 2-6-1 to 2-6-14, 2-7-1 to 2-7-16

modes of action 2-2-2

phosphine 2-10-1 to 2-10-9

physical properties 2-2-4

respiratory protection for 8-1-13

*See also specific fumigants*

supervision of quarantine treatments 2-2-2 to 2-2-4

threshold limit values 8-1-12

toxicity of 2-2-1

**Fumigation**

atmospheric fumigation chambers ?? to 6-3-9

Coast Guard regulations B-1-1 to B-1-8

conducting the fumigation 2-4-19 to 2-4-29

container arrangement 2-4-7

definition of 2-2-1

followed by cold treatment schedules 5-2-70 to 5-2-74

guidelines for safe use 2-2-3 to 2-2-4

items not to fumigate 2-3-7, 2-3-8

preparing to fumigate 2-4-3 to 2-4-19

site selection 2-4-4 to 2-4-7

vacuum fumigation chambers ?? to 6-2-4

**Fumigation time 2-4-21****Fumiscope**

description 8-1-2 to 8-1-4

limitations 8-1-23

maintenance 8-1-7

operational procedures 8-1-5 to 8-1-7

reading of 10 ounces per 1,000 ft 8-1-8

repair and calibration 8-1-7

standardizing the instrument 8-1-4 to 8-1-5

**Fungous diseases**

treatment T303-d-2-1

Steam sterilization, use T303-b 5-4-12 to 5-4-13

**G****G. pallida**

Armoracea treatment schedule 5-6-15

Solanum treatment schedule 5-6-19

**Galium odorata 5-2-27, 5-2-28****Gardenia**

treatment T553-1

Hot water at 118°F for 30 minutes. 5-6-15

**Garlic 5-2-56**

treatment T101-e-2

MB in 15" vacuum—chamber 5-2-22

treatment T202-j

MB ("Q" label only) at 15" vacuum 5-3-21

**Garlic beetles**

treatment T101-e-2

MB in 15" vacuum—chamber 5-2-22

treatment T202-j

MB ("Q" label only) at 15" vacuum 5-3-21

**Garlic carpenterworm**

treatment T101-e-2

MB in 15" vacuum—chamber 5-2-22

**Gas analysis**

methyl bromide 2-3-4

phosphine 2-10-2

**Gas and vapor removing respirators 8-1-14 to 8-1-15***See also Respiratory Protection***Gas introduction lines**

hot gas method 2-7-11

inside release option 2-7-11

methyl bromide

ship fumigation 2-6-6

structure fumigation 2-7-11

tarpaulin fumigation 2-4-19

**Gas sampling tubes**

determining number of 2-7-9

methyl bromide

ship fumigation 2-6-6

structure fumigation 2-7-9

tarpaulin fumigation 2-4-11 to 2-4-13

placement of 2-4-11 to 2-4-13

**Gaultheria procumbens 5-2-27, 5-2-28****Generators**

requirements for hot water immersion

treatment 3-3-5

**Gentiana**

treatment T553-1

Hot water at 118°F for 30 minutes. 5-6-15



**Gentinae**

treatment T507-2

Remove infected leaves and treat all plants of same species in shipment with Ferbam or Captan following label directions. [5-6-8](#)

**Gerbera**

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

**Gesneria**

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

**Geum**

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

**Gin trash**

treatment T301-a-1-1

MB ("Q" label only) at NAP—chamber [5-4-5](#)

treatment T301-a-6

Phosphine at NAP ?? to [5-4-2](#), [5-4-6](#) to ??

**Ginger** [5-2-56](#)

treatment T101-f-2

MB in 15" vacuum—chamber [5-2-22](#)

**Gladiolus spp.**

treatment T202-e-1

MB ("Q" label only) at NAP [5-3-22](#)

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

treatment T565-3

Hot water at 110°F for 4 hours. (Should be done immediately after digging.) [5-6-18](#)

**Gladiolus thrips**

treatment T202-e-2

MB ("Q" label only) in 26" vacuum [5-3-22](#)

**Globodera campestris, pv. citri**

treatment T511-1

Wash seeds if any mucilaginous material is adhering. Immerse in a 0.525 percent sodium hypochlorite (Clorox) solution for 2 minutes. [5-6-10](#)

**Globodera rostochiensis**Armoracea treatment schedule [5-6-15](#)bags treatment schedule [5-4-16](#)cargo treatment schedules [5-5-11](#)contamination treatment schedule [5-5-18](#)Convallaria (pips) treatment schedule [5-6-14](#)cotton treatment schedules [5-4-4](#)infestation treatment schedule [5-6-15](#)soil treatment schedule [5-5-22](#), [5-5-23](#)Solanum treatment schedule [5-6-19](#)wood products treatment schedules [5-5-14](#)**Glossary** [9-1-1](#) to [9-1-3](#)**Golden nematode**bags treatment schedule [5-4-16](#)cargo treatment schedules [5-5-11](#)contamination treatment schedule [5-5-18](#)cotton treatment schedules [5-4-4](#)plants treatment schedule [5-6-15](#)soil treatment schedule [5-5-23](#)wood products treatment schedules [5-5-14](#)**Gow-Mac**description [8-1-2](#)limitations [8-1-23](#)maintenance [8-1-7](#)operational procedures [8-1-5](#) to [8-1-6](#)repair and calibration [8-1-7](#)standardizing the instrument [8-1-4](#) to [8-1-5](#)**Grains**

treatment schedules [5-4-7](#) to [5-4-12](#), [5-6-5](#) to [5-6-6](#)

**Grains of paradise** [5-2-27](#), [5-2-28](#)**Grape**T107-a cold treatment schedule [5-2-67](#)T107-c cold treatment schedule [5-2-68](#)T108-a fumigation plus cold treatment [5-2-70](#)

T108-b MB at NAP — tarpaulin or chamber followed by cold treatment [5-2-72](#)

**grape** [5-2-56](#)**Grapefruit** [5-2-56](#)

methyl bromide fumigation treatment schedule [5-2-25](#)

T107-a cold treatment schedule [5-2-67](#)T107-b cold treatment schedule [5-2-67](#)T107-c cold treatment schedule [5-2-68](#)T107-d cold treatment schedule [5-2-68](#)vapor heat treatment schedules [5-2-61](#)**Grapes**

methyl bromide fumigation treatment schedule [5-2-23](#) to [5-2-24](#)

**GrapeT107-f cold treatment schedule** [5-2-69](#)**Grapevine moth**

cold treatment T108-a

Three alternative schedules based upon the fumigation exposure time [5-2-70](#)

**Graphognathus spp.**

treatment T101-u-2

MB at NAP—tarpaulin or chamber [5-2-39](#)

**Great Lakes Chemical Company** [2-3-2](#)**Green pod vegetables**

treatment T101-k-2

MB in 15" vacuum—chamber [5-2-25](#)

**green pod vegetables** [5-2-56](#)

Greenery  
treatment schedules [5-4-15 to 5-4-16](#)

Greenhouse-grown plants  
treatment T201-c-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-10 to 5-3-11](#)

Greenwood cuttings  
treatment T201-m-2  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-17](#)

Gypsy moth  
treatment T313-a  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-4-26](#)  
treatment T414  
MB at NAP—tarpaulin or chamber [5-5-41](#)

## H

*H. pallida*  
Convallaria (pips) treatment schedule [5-6-14](#)

Haiti  
supervision of hot water immersion treatments [6-5-9](#)

Halide detector  
description [8-1-9](#)  
illustration of halide detector using dispensable propane tank [8-1-11](#)  
principles of operation [8-1-9](#)  
usage [8-1-10 to 8-1-11](#)

Halide detectors [2-3-4](#)  
demonstration [8-1-10](#)

Halotydeus destructor  
treatment T101-b-1-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-2-4](#)

Hand removal of pests [5-3-19](#)

Handicrafts  
treatment T303-a  
MB at NAP—chamber only [5-4-14](#)

Harmolita spp.  
treatment T303-a  
MB at NAP—chamber only [5-4-14](#)

Hawaii  
avacado treatment schedule [5-2-4](#)  
carambola treatment schedules [5-2-58](#)  
citrus treatment schedule [5-2-52 to 5-2-53](#)  
lychee fruit treatment schedules [5-2-47, 5-2-58](#)  
papaya treatment schedules [5-2-54, 5-2-58](#)

tomato treatment schedule [5-2-43](#)

Hawaiian SalsaT107-i cold treatment schedule [5-2-69](#)

Hay, baled  
treatment T311  
Phosphine at NAP [5-4-25](#)

Heat  
hot water immersion treatment [3-3-2 to 3-3-17](#)  
steam treatments [3-4-1 to 3-4-3](#)  
vapor heat treatment [3-5-1 to 3-5-3](#)

Helicella spp.  
treatment T203-h  
MB ("Q" label only) at 26" vacuum [5-3-31](#)

Heliopsis  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

Helleborus  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

Herbaceous plants  
treatment T201-c-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-10](#)  
treatment T201-c-2  
MB ("Q" label only) in 15" vacuum [5-3-11](#)  
treatment T201-m-2  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-17](#)

Hessian fly  
treatment T311  
Phosphine at NAP [5-4-25](#)

Hevea brasiliensis  
treatment T203-j  
MB ("Q" label only) at NAP [5-3-33](#)

Hibiscus  
treatment T203-g-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-30](#)  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

High temperature forced air treatment schedules [5-2-50 to 5-2-55](#)

honeydew melon [5-2-56](#)

Horehound [5-2-27, 5-2-28](#)

Horseradish [5-2-56](#)  
treatment T101-l-2  
MB in 15" vacuum—chamber [5-2-28](#)

Horseradish roots

- treatment T202-f  
MB in 15" vacuum [5-3-22](#)  
treatment T553-3  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- Host variable/pest specific treatment  
schedules [5-2-55 to 5-2-57](#)
- Hosta  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)  
treatment T564-1  
Presoak in water at 68°F for 1 hour followed by  
hot water soak at 110°F for 1 hour. Next, dip  
in a cold solution of 0.25 percent  
Thiram [5-6-18](#)
- Hot water immersion facilities  
address for technical contact [6-5-5](#)  
annual APHIS performance test procedures [6-5-2](#)  
to [6-5-4](#)  
description [6-5-1](#)  
foreign treatment facilities protocols [6-5-5 to](#)  
[6-5-10](#)  
list of ideas if tank fails performance test [6-5-4](#)  
location [6-5-7](#)  
preliminary performance testing [6-5-1](#)
- Hot water immersion treatment  
alarm system [3-3-12](#)  
boilers [3-3-6](#)  
changes [3-3-15](#)  
electrical and electronic components [3-3-5](#)  
general requirements [3-3-3 to 3-3-4](#)  
post-treatment cooling [3-3-14](#)  
pre-treatment warming [3-3-13](#)  
principle [3-3-2](#)  
procedures [3-3-2](#)  
resources [3-3-16](#)  
safeguarding treated fruit [3-3-12](#)  
safety precautions [3-3-15](#)  
schedules [3-3-2](#)  
start-up costs [3-3-16](#)  
temperature recorder [3-3-8 to 3-3-11](#)  
temperature sensors [3-3-7 to 3-3-8](#)  
water circulation [3-3-7](#)  
Work Plans [3-3-16](#)
- Hot water treatment  
schedules for [5-3-3, 5-3-20, 5-6-14 to 5-6-20](#)
- Hoya  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- Humidity  
effect on methyl bromide [2-3-4](#)
- Humulus  
treatment T553-5  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- Hyacinthus  
treatment T554-1-1  
Presoak in water at 70°F–80°F for 2.5 hours, fol-  
lowed by hot water immersion at 110°F–111°F  
for 1 hour. [5-6-16](#)
- Hydrocooling fruit [3-3-14 to ??](#)
- Hyssop [5-2-27, 5-2-28](#)
- Hyssopus officinalis [5-2-27, 5-2-28](#)
- 
- Ilex  
treatment T201-b-1  
MB ("Q" label only) at NAP—tarpaulin or  
chamber [5-3-9](#)
- Illicium verum [5-2-27, 5-2-28](#)
- Illinois Testing Laboratories [8-1-27](#)
- Imported crucifer weevil  
treatment T101-I-2  
MB in 15" vacuum—chamber [5-2-28](#)
- India  
treatment schedules for brassware [5-5-40](#)
- Indoor fumigation [2-4-32 to 2-4-40](#)
- Inspections on-site [3-3-3](#)
- Inspectors  
bribery [6-5-9](#)  
foreign treatment facilities protocols [6-5-5 to](#)  
[6-5-10](#)  
withdrawal from foreign facilities [6-5-9](#)
- Instructions to Captain document [3-7-8, 3-7-19](#)
- Interior Fumigation  
methyl bromide [2-7-5, 2-7-10](#)
- Internal feeders  
*See specific pest by name*
- Interstate Commerce Commission  
compressed air specifications [8-1-22](#)
- Ipomoea spp.  
treatment T101-b-3-1  
MB at NAP—tarpaulin or chamber [5-2-42](#)  
treatment T202-d  
MB ("Q" label only) at NAP [5-3-26](#)
- Iris  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)  
treatment T554-1-1

Presoak in water at 70°F–80°F for 2.5 hours, followed by hot water immersion at 110°F–111°F for 1 hour. [5-6-16](#)

#### Israel

avacado treatment schedule [5-2-4](#)

#### Italy

exemption from treatment for garlic [5-2-22](#)

## J

Jacuzzi system [3-3-4](#)

#### Japan

apples treatment schedule [5-2-74](#)

#### Jasminum

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

Jerusalem artichoke [5-2-56](#)

Juniper berry [5-2-27](#), [5-2-28](#)

#### Juniperus

treatment T201-b-1  
MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-9](#)

Juniperus communis [5-2-27](#), [5-2-28](#)

## K

#### Kabat

treatment T308-d  
Kabat® (active ingredient—methoprene) is an insect growth regulator applied at the rate of 0.2 pounds (3.9 fluid ounces) per 1,000 pounds of tobacco. [5-4-20](#)

#### Kaempferia

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

#### Kale

treatment T101-n-2  
MB at NAP—tarpaulin or chamber [5-2-29](#)

#### Kanzawa mite

apples treatment schedule [5-2-74](#)

#### Kenaf

treatment T203-g-1  
MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-30](#)

#### Khapra beetle

aircraft treatment schedule [5-5-24](#)  
bags treatment schedule [5-4-16](#)  
brassware treatment schedules [5-5-40](#)  
cargo treatment schedules [5-5-11](#)  
cotton treatment schedules [5-4-2](#) to [5-4-4](#)  
Emergency Action Notification [2-7-7](#)  
fumigating cargo [2-4-12](#)  
infested material treatment schedule [5-4-19](#)  
railroad cars treatment schedules [5-5-2](#)  
seeds treatment schedule [5-3-31](#)  
ships treatment schedule [??](#) to [5-5-3](#), [5-5-5](#) to [??](#)  
wood products treatment schedule [5-5-17](#)

#### Kiln Drying

treatment schedules for wood products [5-5-16](#)

#### Kiwi [5-2-56](#)

T107-a cold treatment schedule [5-2-67](#)  
T107-d cold treatment schedule [5-2-68](#)  
T108-a fumigation plus cold treatment [5-2-70](#)  
treatment T101-m-2  
MB at NAP—tarpaulin or chamber [5-2-29](#)

#### Kniphofia

treatment T553-2  
Hot water at 118°F for 30 minutes. [5-6-15](#)

#### Koa seedworm

treatment T203-k  
MB (“Q” label only) at NAP [5-3-31](#)

#### Kohleria

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

#### Kohlrabi

treatment T101-n-2  
MB at NAP—tarpaulin or chamber [5-2-30](#)

#### Korea

apples treatment schedule [5-2-74](#)

#### Kraft paper

fumigation and [2-3-5](#)

kumquat [5-2-56](#)

## L

Laurus nobilis [5-2-27](#), [5-2-28](#)

Lavender [5-2-27](#), [5-2-28](#)

Lavendula officinalis [5-2-27](#), [5-2-28](#)

leaf [5-2-27](#)

Leaf miners

- methyl bromide fumigation treatment  
schedule [5-2-7](#), [5-2-8](#), [5-2-9](#), [5-2-10](#), [5-2-11](#),  
[5-2-13](#), [5-2-18](#), [5-2-19](#), [5-2-25](#), [5-2-29](#), [5-2-30](#),  
[5-2-33](#), [5-2-34](#), [5-2-40](#), [5-2-41](#)  
plants treatment schedule [5-3-5](#), [5-3-14](#)
- Leaf tobacco**  
treatment T308-c  
Vacuum-steam flow process followed by  
reconditioning [5-4-20](#)
- Leafy vegetables** [5-2-56](#)  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber [5-2-30](#),  
[5-2-32](#)
- Leak detection**  
methyl bromide  
sealing stores [2-6-7](#)  
ship fumigation [2-6-11](#)  
structure fumigation [2-7-14](#)  
tarpaulin fumigation [2-4-20](#)  
phosphine [2-10-2](#)
- Leeks**  
treatment T101-q-2  
MB at NAP—tarpaulin or chamber [5-2-31](#)
- Leguminosae = Fabaceae**  
treatment T203-c  
MB ("Q" label only) at NAP [5-3-33](#)  
treatment T203-o-3  
MB ("Q" label only) in 26" vacuum [5-3-33](#)
- lemon** [5-2-56](#)
- lemon baalm** [5-2-27](#), [5-2-28](#)
- Lemongrass** [5-2-27](#), [5-2-28](#)
- Lemons**  
treatment T101-n-2-1  
MB at NAP—tarpaulin or chamber [5-2-31](#)
- Lentils**  
treatment T101-e-1  
MB at NAP—tarpaulin or chamber [5-2-32](#)
- Lepidoptera**  
treatment schedules for miscellaneous  
cargo [5-5-13](#)
- Lesion nematodes**  
treatment T553-2  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- Levisticum officinale** [5-2-27](#), [5-2-28](#)
- Libium**  
treatment schedule [5-6-19](#)
- Lily bulbs**  
treatment T202-g
- MB ("Q" label only) at NAP [5-3-23](#)
- Limacidae**  
treatment T201-l  
MB ("Q" label only) at NAP—tarpaulin or  
chamber [5-3-6](#)
- Limes** [5-2-56](#)  
methyl bromide fumigation  
treatment schedule [5-2-32](#)  
water treatment schedule [5-2-47](#)
- Limnaeidae**  
treatment T201-q  
Hot water treatment 112°F for 10  
minutes. [5-3-3](#)
- Lingularis**  
treatment T568-1  
Treat with hot water at 110°F for 1 hour. [5-6-19](#)
- Lint and linters**  
treatment T301-a-6  
Phosphine at NAP ?? to [5-4-2](#), [5-4-6](#) to ??
- Liquid measure conversion** [2-2-3](#)
- Litchi**  
- See Lychee [5-2-32](#)  
T107-b cold treatment schedule [5-2-67](#)
- Liverworts**  
treatment schedule for soil [5-5-22](#)
- Lobesia botrana**  
fumigation followed by cold treatment  
schedule [5-2-70](#)  
methyl bromide fumigation treatment  
schedule [5-2-23](#) to [5-2-24](#)
- Location of Temperature Sensors document** [3-7-7](#),  
[3-7-19](#)
- Logs and lumber**  
adjusting exposure period [2-4-28](#)  
determining temperature for proper dosage  
rate [2-4-15](#)  
treatment schedules [5-4-25](#)
- Longan**  
T107-b cold treatment schedule [5-2-67](#)
- Longans**T107-h cold treatment schedule [5-2-69](#)
- Lonicera spp.**  
treatment T203-o-5  
MB ("Q" label only) at NAP [5-3-34](#)
- Loquat**  
T107-a cold treatment schedule [5-2-67](#)
- Lovage** [5-2-27](#)

Lovage (leaf) [5-2-28](#)

Lovage (seed) [5-2-28](#)

Lumber

See Logs and lumber

Lychee

T107-a cold treatment schedule [5-2-67](#)

Lychee (Litchi) fruit

irradiation treatment schedules [5-2-58](#)

Lychee (Litchi) fruit borer

treatment T107-h

Cold treatment [5-2-69](#)

Lychee fruit

treatment T102-d

Hot water immersion [5-2-47](#)

LycheeT107-h cold treatment schedule [5-2-69](#)

Lycoris

treatment T202-h

MB in 26" vacuum [5-3-23](#)

Lymantria dispar

treatment T313-a

MB ("Q" label only) at NAP—tarpaulin or chamber [5-4-26](#), [5-5-41](#)

## M

Macadamia nuts

treatment T203-k

MB ("Q" label only) at NA [5-3-31](#)

Mace [5-2-27](#), [5-2-28](#)

Magnesium phosphide

See Phosphine

Maintaining

the manual [C-1-1 to C-1-5](#)

Maintenance

respiratory protection [8-1-19 to 8-1-22](#)

Supporting and Updating the Export Certification Manual (ECM) and Its Summaries

Appendix 10 [C-1-1 to C-1-5](#)

T/C units [8-1-7](#)

Maize

treatment schedules [5-6-5](#)

Malathion spray

effect asphalt surfaces [2-6-5](#)

treatment schedule for ships and surrounding areas [5-5-3](#)

Malathion-carbaryl chemical dip

treatment T201-o-2

Chemical Dip—Dip plants with a [5-3-13](#)

treatment T201-p-2

Hand removal plus chemical dip—Hand removal of pests of infested parts plus a malathion-carbaryl chemical dip. [5-3-19](#)

Mango seed weevils [6-5-6](#)

Mangoes

cooling hot water-treated fruit [3-3-14](#)

countries prohibited from exporting to the United States [5-2-75](#)

high temperature forced air treatment schedule [5-2-53](#)

hot water immersion standards [6-5-4](#)

vapor heat treatment schedules [5-2-61](#)

water treatment schedule [5-2-48 to 5-2-49](#)

Manihot

treatment T101-n-1

MB at NAP—tarpaulin or chamber [5-2-12](#)

Manometer

electronic [6-3-6](#), [8-1-28](#)

open arm [6-3-5](#), [8-1-28 to 8-1-30](#)

use in pressure-leakage testing [6-3-4 to 6-3-5](#), [8-1-29](#)

Manuals

distributing [C-1-9](#)

ordering additional copies [C-1-7](#), [C-1-7](#)

Marigold [5-2-27](#), [5-2-28](#)

Marjoram [5-2-27](#), [5-2-28](#)

Marrubium vulgare [5-2-27](#), [5-2-28](#)

Maruca testulalis

treatment T101-k-2

MB in 15" vacuum—chamber [5-2-25 to 5-2-26](#)

Mayetiola destructor

treatment schedules [5-4-25](#)

MB

See Methyl bromide

Mealybugs

treatment T305-c

MB ("Q" label only) at NAP—tarpaulin or chamber [5-4-16](#)

Mechanical Cotton Pickers

treatment T407

MB ("Q" label only) at NAP—tarpaulin, chamber, railroad car, or van [5-5-21](#)

Medicago

treatment T520-1-1

Dust with 75 percent Thiram at the rate of 166

- grams per 50 kilograms of seed (3.3g/kg). [5-6-14](#)
- Mediterranean fruit fly**  
 cold treatment for [5-2-60, 6-4-1](#)  
 cold treatment plus fumigation treatment schedule [5-2-67, 5-2-68](#)  
 fumigation followed by cold treatment schedule [5-2-70 to 5-2-71](#)  
 high temperature forced air treatment schedule [5-2-52 to 5-2-55](#)  
 irradiation treatment schedules [5-2-58](#)  
 methyl bromide fumigation treatment schedule [5-2-4, 5-2-7, 5-2-18, 5-2-24, 5-2-29, 5-2-43](#)  
*See also* Fruit flies  
 vapor heat treatment schedules [5-2-60 to 5-2-65](#)  
 water treatment schedule [5-2-47 to 5-2-49](#)
- Melissa officinalis** [5-2-27, 5-2-28](#)
- Meloidogyne spp.**  
 treatment schedules [5-6-16 to 5-6-17](#)
- Melon fly**  
 cold treatment schedule [5-2-69](#)  
 fumigation followed by cold treatment schedule [5-2-70](#)  
 high temperature forced air treatment schedule [5-2-52 to 5-2-55](#)  
 irradiation treatment schedules [5-2-58](#)  
 methyl bromide fumigation treatment schedule [5-2-4](#)  
 vapor heat treatment schedules [5-2-60 to 5-2-65](#)
- Melons**  
 treatment T101-o-2  
 MB at NAP—tarpaulin or chamber [5-2-33](#)
- Memory loggers** [3-3-9](#)
- Mentha pulegium** [5-2-27, 5-2-28](#)
- Metal surfaces**  
 treatment schedules [5-5-13 to 5-5-14](#)  
 treatment T402-b-3-1  
 Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the point of runoff. [5-5-3](#)
- Meth-O-Gas Q** [2-3-2 to 2-3-4](#)
- Methyl bromide**  
 acceptable air concentration level [2-4-19](#)  
 calibration of T/C units for [8-1-5](#)  
 chamber fumigation  
   aerating the chamber [2-5-4 to 2-5-5](#)  
   conducting the fumigation [2-5-2 to 2-5-4](#)  
   materials needed [2-5-2](#)  
 gas analysis [2-3-4](#)  
 halide detector flame colors according to MB concentration [8-1-10](#)  
 humidity and [2-3-4](#)  
 items not to fumigate [2-3-7 to 2-3-8](#)  
 leak detection [2-3-4](#)  
 Meth-O-Gas Q [2-3-2 to 2-3-4](#)  
 packaging and [2-3-5](#)  
 properties of [2-3-1 to 2-3-2](#)  
 residual effect [2-3-6 to 2-3-8](#)  
 residue monitoring [4-1-1, 4-2-1](#)  
 Section 18 Exemptions [2-3-2 to 2-3-4, 5-2-1 to 5-2-2](#)  
*See also* Treatment schedules  
 ship fumigation  
   aeration [2-6-13 to 2-6-14](#)  
   conducting the fumigation [2-6-10 to 2-6-12](#)  
   materials needed [2-6-2 to 2-6-3](#)  
   preparing to fumigate [2-6-4 to 2-6-10](#)  
   safety measures [2-6-3](#)  
 sorption [2-3-5 to 2-3-6](#)  
 structure fumigation  
   aerating the enclosure [2-7-15 to 2-7-16](#)  
   conducting the fumigation [2-7-13](#)  
   materials needed [2-7-2 to 2-7-3](#)  
   preparing to fumigate [2-7-4 to 2-7-12](#)  
   safety precautions [2-7-3](#)  
 tarpaulin fumigation  
   aerating the enclosure [2-4-29 to 2-4-40](#)  
   conducting the fumigation [2-4-19 to 2-4-29](#)  
   materials needed [2-4-2 to 2-4-3](#)  
   preparing to fumigate [2-4-3 to 2-4-19](#)  
 temperature and [2-3-4](#)  
 threshold limit value [8-1-12](#)  
 use in atmospheric fumigation chambers [6-3-2, 6-3-4](#)  
 use of [2-3-1 to 2-3-2](#)  
 use of halide detectors with [8-1-9](#)
- Mexican fruit fly**  
 treatment T107-b  
 Cold treatment [5-2-67](#)
- Mexico**  
 clementines  
   methyl bromide treatment schedule [5-2-18](#)  
   vapor heat treatment schedules [5-2-60](#)  
 grapefruit  
   methyl bromide treatment schedule [5-2-25](#)  
   vapor heat treatment schedules [5-2-61](#)  
 mangoes  
   high temperature forced air treatment schedule [5-2-53](#)  
   vapor heat treatment schedules [5-2-61](#)  
 oranges  
   methyl bromide treatment schedule [5-2-36](#)  
   vapor heat treatment schedules [5-2-63](#)  
 supervision of hot water immersion treatments [6-5-9](#)
- Micronized dusts**  
 application of [2-11-2 to 2-11-3](#)  
 cartridges [2-11-2](#)  
 equipment [2-11-2](#)  
 safety precautions [2-11-4](#)
- Microprocessors**

- requirements for hot water immersion treatment [3-35](#)
- Milacidae**  
treatment T201-l  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-36](#)
- Mites**  
treatment T201-g-3  
Hot water at 110-111°F for 20 minutes [5-35](#)
- Mityvac Hand-Held Vacuum Pump** [8-1-30](#)
- Monitoring leads**  
blocked or crimped [2-4-19](#)
- Mordellistena spp.**  
treatment T201-d-3  
MB ("Q" label only) in 15" vacuum [5-3-14](#)
- Mosses**  
treatment schedule for soil [5-5-22](#)
- Mountain Papaya**  
T107-a cold treatment schedule [5-2-67](#)
- Mountain papaya**  
high temperature forced air treatment schedule [5-2-53 to 5-2-55](#)  
vapor heat treatment schedules [5-2-62](#)
- Murrya koenigii** [5-2-27, 5-2-28](#)
- Muscari**  
treatment T567-1  
Dip in hot water at 113°F for 4 hours. [5-6-19](#)
- Muskmelon** [5-2-56](#)
- Mustard** [5-2-27](#)
- Mustard (seed)** [5-2-28](#)
- Mustard greens**  
treatment T101-n-2  
MB at NAP—tarpaulin or chamber [5-2-34](#)
- Myristica fragrans** [5-2-27, 5-2-28](#)
- 
- N**
- Naegelia**  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)
- NAP's**  
See Normal atmospheric pressure chamber
- Narcissus**
- treatment T202-i-1  
MB ("Q" label only) at NAP [5-3-24](#)  
treatment T555-1  
Presoak in water at 70°F–80°F for 2 hours, then at 110°F–111°F until all bulbs reach that temperature and hold for 4 hours. (If importer desires, 1 pint of formalin per 35 gallons water may be added to prevent basal rot.) [5-6-16](#)
- Nasturtium** [5-2-27, 5-2-28](#)
- Natal fruit fly**  
treatment T107-e  
Cold treatment [5-2-68](#)
- National Institute for Occupational Safety and Health**  
certification of respiratory protective equipment [8-1-14](#)
- National Monitoring and Residue Monitoring Analysis Laboratory** [4-2-3](#)
- Nectarine**  
T107-a cold treatment schedule [5-2-67](#)  
T107-c cold treatment schedule [5-2-68](#)  
T107-e cold treatment schedule [5-2-68](#)  
T108-a fumigation plus cold treatment [5-2-70](#)
- Nectarines** [5-2-56](#)  
treatment T101-a-3  
MB at NAP—tarpaulin or chamber [5-2-35](#)
- Nematode cysts**  
treatment schedules for railroad cars [5-5-2](#)
- Nematodes**  
treatment schedules [5-6-15, 5-6-18](#)
- Nepeta cataria** [5-2-27, 5-2-28](#)
- New Zealand**  
asparagus treatment schedule [5-2-4](#)
- Nigelia sativa** [5-2-27, 5-2-28](#)
- NIOSH**  
See National Institute for Occupational Safety and Health
- NMRAL**  
See National Monitoring and Residue Monitoring Analysis Laboratory
- Noctuidae spp.**  
asparagus treatment schedules [5-2-3](#)  
banana treatment schedules [5-2-4](#)  
blackberry treatment schedules [5-2-6](#)  
melons treatment schedules [5-2-33](#)  
plantain treatment schedules [5-2-38](#)  
raspberry treatment schedules [5-2-41](#)
- Nonchemical treatments**



- cold treatment
    - intransit cold treatment of ships 3-7-1 to 3-7-16
    - self-refrigerated containers 3-7-16 to 3-7-20
    - warehouses 3-7-21 to 3-7-22
  - heat
    - Cold Treatment (CT) 3-7-1 to 3-7-22
    - Forces Hot Air 3-6-1 to 3-6-9
    - Hot Water Immersion Treatment 3-3-1 to 3-3-16
    - hot water immersion treatment 3-3-2 to 3-3-17
    - Irradiation 3-8-1 to 3-8-15
    - overview 3-2-1
    - Steam Treatments 3-4-1 to 3-4-3
    - steam treatments 3-4-1 to 3-4-3
    - Vapor Heat Treatment 3-5-1 to 3-5-3
    - vapor heat treatment 3-5-1 to 3-5-3
  - irradiation 3-8-1
  - overview 3-1-1, 6-1-1
  - Nonperishable commodities
    - supervision of quarantine treatments 2-2-2
  - Normal atmospheric pressure chamber
    - aeration of 2-5-5 to 2-5-6
  - Noxious weed seeds
    - treatment schedules 5-5-38 to 5-5-39
  - Nut fruit tortrix
    - treatment schedules 5-2-16, 5-4-8
  - Nutmeg 5-2-27, 5-2-28
  - Nuts
    - methyl bromide fumigation treatment
      - schedules 5-2-16
    - pest specific/host variable treatment
      - schedules 5-2-55 to 5-2-57
    - reporting commodity injury 5-2-1
  - Nysius huttoni
    - treatment T101-m-2
      - MB at NAP—tarpaulin or chamber 5-2-29
- 
- O**
- Oak logs and lumber
    - treatment schedules 5-4-25
  - Oak Wilt Disease
    - treatment T312-a
      - MB ("Q" label only) at NAP 5-4-25
  - Occupational Safety and Health Administration
    - respiratory protection requirements 8-1-13, 8-1-17
  - Ocimum basilicum 5-2-27, 5-2-28
  - Officer-in-Charge
    - responsibility for respiratory protection 8-1-12
  - Off-odors
    - effect of methyl bromide 2-3-7 to 2-3-8
  - Okra 5-2-56
    - treatment schedules 5-3-30
    - treatment T101-p-2
      - MB at NAP—chamber only 5-2-35
  - Omalomyx unguis
    - treatment T201-o-1
      - Water Spray—Use a high-pressure water spray on the foliage to flush snails from the plants. Care should be taken not to spray the root systems of conifers since they will be damaged. 5-3-12
  - Onion/garlic carpenterworm
    - treatment T202-j
      - MB ("Q" label only) at 15" vacuum 5-3-21
  - Onions 5-2-56
    - treatment T101-q-2
      - MB at NAP—tarpaulin or chamber 5-2-35
  - On-site inspections 3-3-3
  - Open arm manometer
    - illustrations 6-3-6, 8-1-30
    - use in pressure-leakage testing 6-3-4, 8-1-28
  - OPPC
    - See Oxford Plant Protection Center
  - Opuntia
    - treatment T101-d-3
      - MB at NAP—tarpaulin or chamber 5-2-43
  - Orange
    - T107-a cold treatment schedule 5-2-67
    - T107-b cold treatment schedule 5-2-67
    - T107-c cold treatment schedule 5-2-68
    - T107-d cold treatment schedule 5-2-68
  - Oranges 5-2-56
    - methyl bromide fumigation treatment
      - schedule 5-2-36
    - vapor heat treatment schedules 5-2-63
  - Orchids
    - bordeaux spray treatment schedules 5-6-3, 5-6-9
    - defoliation treatment schedules 5-6-11
    - hot-water treatment schedules 5-3-14, 5-6-15
    - methyl bromide treatment schedules 5-3-14
    - rusts treatment schedules 5-6-9
  - Ordering additional manuals, summaries or revisions C-1-7 to C-1-9
  - oregano 5-2-27, 5-2-28
  - Oriental citrus mite
    - treatment T107-a
      - Cold treatment 5-2-67

**Oriental fruit fly**

- cold treatment schedule [5-2-69](#)
- fumigation followed by cold treatment schedule [5-2-70](#)
- high temperature forced air treatment schedule [5-2-52 to 5-2-55](#)
- irradiation treatment schedules [5-2-58](#)
- methyl bromide fumigation treatment schedule [5-2-4](#)
- See also* Fruit flies
- vapor heat treatment schedules [5-2-60 to 5-2-65](#)
- water treatment schedule [5-2-47](#)

**Origanum spp.** [5-2-27, 5-2-28](#)**Ornithogalum**

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)
- treatment T567-1
  - Dip in hot water at 113°F for 4 hours. [5-6-19](#)

**Oryza**

- treatment schedules [5-6-17](#)

**Ostrinia nubilalis**

- treatment T101-v-2
  - MB at NAP—tarpaulin or chamber [5-2-39](#)
- treatment T101-x-1-1
  - MB at NAP—tarpaulin or chamber [5-2-20](#)

**Outdoor fumigation** [2-4-36 to 2-4-40](#)**Oxford Plant Protection Center** [1-1-1](#)

- address for technical contact [6-5-5](#)
- approval of facilities [6-3-2, 6-4-2, 6-4-7, 6-5-5, 6-5-7](#)
- calibration of equipment [8-1-5, 8-1-7, 8-1-30](#)
- polarized plugs for T/C units [8-1-5](#)
- procedures to detect blocked monitoring leads with use of Mitivac vacuum pump [8-1-31](#)

**P****Paddy rice**

- See also* Rice straw and hulls treatment schedule treatment schedule [5-6-17](#)

**Paeonia**

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)
- treatment T564-1
  - Presoak in water at 68°F for 1 hour followed by hot water soak at 110°F for 1 hour. Next, dip in a cold solution of 0.25 percent Thiram [5-6-18](#)

**Paints**

- for atmospheric fumigation chambers [6-3-3](#)

**Papaver somniferum** [5-2-27, 5-2-28](#)**Papaya**

- high temperature forced air treatment schedule [5-2-53 to 5-2-55](#)
- irradiation treatment schedules [5-2-58](#)
- vapor heat treatment schedules [5-2-62 to 5-2-63](#)

**Parsley** [5-2-27](#)**Parsley (dried)** [5-2-28](#)**Parsnip** [5-2-56](#)

- treatment T101-g-1
  - MB chamber, 15" vacuum—chamber [5-2-36](#)

**Particulate removing respirators** [8-1-15](#)

- See also* Respiratory protection

**Passiflora**

- treatment T553-1
  - Hot water at 118°F for 30 minutes. [5-6-15](#)

**Peach**

- T107-a cold treatment schedule [5-2-67](#)
- T107-b cold treatment schedule [5-2-67](#)
- T107-c cold treatment schedule [5-2-68](#)
- T107-e cold treatment schedule [5-2-68](#)
- T108-a fumigation plus cold treatment [5-2-70](#)

**peach** [5-2-56](#)**Peach fruit moth**

- apples treatment schedule [5-2-74](#)

**Peaches**

- treatment T101-a-3
  - MB at NAP—tarpaulin or chamber [5-2-36](#)

**Pear**

- T107-a cold treatment schedule [5-2-67](#)
- T107-c cold treatment schedule [5-2-68](#)
- T107-d cold treatment schedule [5-2-68](#)
- T108-a fumigation plus cold treatment [5-2-70](#)
- T108-b MB at NAP — tarpaulin or chamber followed by cold treatment [5-2-72](#)

**Pears**

- maximum loading temperature [3-7-9](#)

**Peas** [5-2-56](#)

- treatment schedules [5-2-25 to 5-2-26](#)
- treatment T101-e-1
  - MB at NAP—tarpaulin or chamber [5-2-37](#)

**Pecan weevil**

- treatment T107-g
  - Cold treatment [5-2-69](#)

**Pectinophora gossypiella**

- cotton equipment treatment schedule [5-5-21](#)
- okra treatment schedule [5-2-35](#)
- railroad cars treatment schedules [5-5-2](#)

**Pectinophora spp.**

- treatment schedules ?? to 5-4-3, 5-4-5 to 5-4-10, 5-4-12 to ??
- Pen recorders**  
APHIS approved models 3-3-10
- Pennyroyal** 5-2-27, 5-2-28
- Pentatomidae spp.**  
methyl bromide fumigation treatment  
  schedule 5-2-41  
  treatment schedule 5-2-6
- Pepper** 5-2-27, 5-2-56
- Pepper White** 5-2-27
- Pepper, black** 5-2-28
- Pepper, white** 5-2-28
- Perishable commodities**  
supervision of quarantine treatments 2-2-2
- Persimmon**  
T107-a cold treatment schedule 5-2-67  
T107-b cold treatment schedule 5-2-67
- Pest risk analysis** 6-5-6
- Petroselinum crispum** 5-2-27, 5-2-28
- PH**  
See Phosphine
- Philippines**  
treatment T101-c-1  
  MB at NAP—tarpaulin or chamber 5-2-4
- Philodendron spp.**  
treatment T201-i-1  
  MB (“Q” label only) at NAP 5-3-8
- Philomycidae**  
treatment T201-l  
  MB (“Q” label only) at NAP—tarpaulin or chamber 5-3-6
- Phoma chrysanthemi**  
treatment T501-4  
  Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-3
- Phosphine**  
aeration 2-10-7  
amount liberated by various products 2-10-3, 5-4-25, 5-5-45  
bulk fumigations 2-10-6 to 2-10-7  
concentration readings 2-10-9  
container fumigation 2-10-8 to 2-10-9  
disposal of residue 2-10-6  
dosage rates 2-10-2 to 2-10-3  
leak detection 2-10-2  
measurement of 8-1-23  
properties of 2-10-1 to 2-10-2  
safety precautions 2-10-3 to 2-10-4  
threshold limit value 8-1-12  
treatment schedule for seeds 5-3-29, 5-3-30  
use in atmospheric fumigation chambers 6-3-2  
use of 2-10-1 to 2-10-2
- Phosphine detector**  
PortaSens phosphine detector  
  alarm function 8-1-32  
  battery power supply 8-1-32  
  description 8-1-31  
  flow verification 8-1-32  
  operation 8-1-31  
  power down 8-1-32  
  response time 8-1-32
- Phostoxin** 2-10-4
- Photinia**  
treatment T201-b-1  
  MB (“Q” label only) at NAP—tarpaulin or chamber 5-3-9
- Phthorimaea operculella**  
treatment T101-v-2  
  MB at NAP—tarpaulin or chamber 5-2-39
- Phyllosticia bromeliae Uredo**  
treatment schedules 5-6-8
- Physoderma diseases**  
treatment schedules 5-6-5
- Picea spp.**  
treatment T203-i-1  
  MB (“Q” label only) at NAP 5-3-27
- Pieris spp.**  
treatment T403-f  
  MB at NAP 5-5-13
- Piers**  
treatment T402-b-3-1  
  Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the point of runoff. 5-5-3  
treatment T406-c  
  Steam Cleaning 5-5-18
- Pimenta dioica** 5-2-27, 5-2-28
- Pimento** 5-2-56
- Pimpinella anisum** 5-2-27, 5-2-28
- Pine Christmas trees**  
treatment T313-b  
  MB (“Q” label only) at NAP—chamber or tarpaulin 5-4-27
- Pine shoot beetle**

- treatment T313-b
    - MB (“Q” label only) at NAP—chamber or tarpaulin [5-4-27](#)
- Pineapple [5-2-56](#)
  - methyl bromide fumigation treatment schedule [5-2-38](#)
  - vapor heat treatment schedules [5-2-64](#)
- Pineapple slips
  - treatment T201-e-3-1
    - MB (“Q” label only) at NAP [5-3-15](#)
- Pines
  - treatment T201-j
    - MB (“Q” label only) at NAP [5-3-16](#)
- Pink bollworm
  - treatment T401-a
    - MB (“Q” label only) at NAP [5-5-2](#)
  - treatment T407
    - MB (“Q” label only) at NAP—tarpaulin, chamber, railroad car, or van [5-5-21](#)
- Pinus mugo* spp.
  - treatment T203-i-2
    - MB (“Q” label only) in 26" vacuum [5-3-28](#)
- Pinus* spp.
  - treatment T201-j
    - MB (“Q” label only) at NAP [5-3-16](#)
- Pinus sylvestris* spp.
  - treatment T203-i-1
    - MB (“Q” label only) at NAP [5-3-27](#)
- Piper nigrum* [5-2-27](#), [5-2-28](#)
- Pitahaya
  - treatment T101-d-3
    - MB at NAP—tarpaulin or chamber [5-2-43](#)
- Planorbidae
  - treatment T201-q
    - Hot water treatment 112°F for 10 minutes. *Elo-dea densa* and *Cabomba caroliniana* plants not tolerant to this treatment. [5-3-3](#)
- Plant pests and pathogens
  - treatment schedules [5-6-1](#) to [5-6-20](#)
- Plant Protection and Quarantine [1-1-1](#)
- Plantain [5-2-56](#), [5-2-57](#)
  - treatment T101-t-2
    - MB at NAP—tarpaulin or chamber [5-2-38](#)
- Plants
  - treatment schedules [5-3-3](#), [5-4-1](#) to [5-4-28](#)
- Plastic wrappings
  - perforating for fumigation [2-3-5](#)
- Plum
  - T107-a cold treatment schedule [5-2-67](#)
  - T107-b cold treatment schedule [5-2-67](#)
  - T107-c cold treatment schedule [5-2-68](#)
  - T107-e cold treatment schedule [5-2-68](#)
  - T108-a fumigation plus cold treatment [5-2-70](#)
- Plumcot
  - T107-a cold treatment schedule [5-2-67](#)
  - T108-a fumigation plus cold treatment [5-2-70](#)
- Plums [5-2-56](#)
  - treatment schedule [5-2-39](#)
- Podocarpus
  - treatment T201-b-1
    - MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-9](#)
- Poisoning
  - See Emergency aid and safety
- Polyanthes
  - treatment schedules [5-6-15](#), [5-6-19](#)
- Pomagranate
  - T107-b cold treatment schedule [5-2-67](#)
- Pomegranate
  - T107-a cold treatment schedule [5-2-67](#)
  - T107-c cold treatment schedule [5-2-68](#)
- Poppy [5-2-27](#)
- Poppy (seed) [5-2-28](#)
- PortaSens phosphine detector [2-10-2](#)
  - alarm function [8-1-32](#)
  - battery power supply [8-1-32](#)
  - description [8-1-31](#)
  - flow verification [8-1-32](#)
  - operation [8-1-31](#)
  - power down [8-1-32](#)
  - response time [8-1-32](#)
- Post-treatment cooling [3-3-14](#) to ??
- pot marjoram [5-2-27](#), [5-2-28](#)
- Potato cyst nematode
  - treatment schedules [5-6-4](#), [5-6-7](#) to [5-6-8](#)
- Potato tubers
  - treatment T565-5
    - Hot water at 110°F for 4 hours. (Should be done immediately after digging.) [5-6-19](#)
- Potato tuberworm
  - treatment T101-v-2
    - MB at NAP—tarpaulin or chamber [5-2-39](#)
- Potatoes [5-2-56](#)
  - treatment T101-u-2

MB at NAP—tarpaulin or chamber [5-2-39](#)

## PPQ

See Plant Protection and Quarantine

## Pratylenchus spp.

treatment schedules [5-6-15](#), [5-6-16](#), [5-6-20](#)

## Preclearance Program Office [3-7-6](#)

## Preclearance programs

See Certifying facilities

## Precooling treatment [3-7-10](#)

## Prefumigation conferences [2-7-7](#) to [2-7-8](#)

## Pre-fumigation procedures [2-6-6](#)

## Pre-warming treatment [3-3-13](#)

## Prickly pear

treatment T101-d-3

MB at NAP—tarpaulin or chamber [5-2-43](#)

## Primula

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

## Probing

phosphine [2-10-6](#) to [2-10-7](#)

## Professional Development Center [1-1-4](#)

## Program Support [5-2-1](#)

## Progressive clearance [3-7-16](#)

## Propagative plant material

fan operation [2-2-3](#)

treatment schedules [5-3-1](#) to [5-3-34](#)

## Property fumigation

methyl bromide [2-7-5](#)

## Pterandrus rosa

treatment T107-e

Cold treatment [5-2-68](#)

## Puerto Rico

supervision of hot water immersion

treatments [6-5-9](#)

## Pulp

fruit

treatment schedules [5-2-66](#) to [5-2-69](#)

## Pulpy vegetables

See Vegetables

## Pulses

treatment T101-e-1

MB at NAP—tarpaulin or chamber [5-2-39](#)

## Pummelo

T107-a cold treatment schedule [5-2-67](#)

## Pumpkin [5-2-56](#)

## Pumpkins

treatment schedule [5-2-40](#)

## Purpose of manual [1-1-1](#)

# Q

## Q labels [2-3-2](#) to [2-3-4](#)

## Quarantine 56 [3-7-2](#), [6-4-3](#), [6-4-8](#)

## Quarantine Exemptions

See Section 18 Exemptions

## Quarantine fumigants

supervision of [2-2-2](#) to [2-2-4](#)

## Quarantine requirements

samples for residue monitoring [4-2-3](#)

## Queensland fruit fly

cold treatment schedule [5-2-68](#)

fumigation followed by cold treatment

schedule [5-2-70](#) to [5-2-71](#)

See *also* Fruit flies

## Quick freeze treatment schedules [5-2-74](#)

## Quince

T107-a cold treatment schedule [5-2-67](#)

T107-c cold treatment schedule [5-2-68](#)

T108-a fumigation plus cold treatment [5-2-70](#)

# R

## Radishes [5-2-56](#)

treatment T101-g-1

MB chamber, 15" vacuum—chamber [5-2-40](#)

## Railroad cars

treatment schedules [5-5-2](#), [5-5-18](#)

## Rape greens

treatment T101-n-2

MB at NAP—tarpaulin or chamber [5-2-40](#)

## Raspberries [5-2-56](#)

treatment T101-x-2

MB at NAP—tarpaulin or chamber [5-2-41](#)

## Recorder sensors

See *also* Temperature sensors

- testing 3-7-8
- Recorders**  
See Temperature recorders
- Reference documents** 1-1-3
- Refrigerated transport**  
See also Cold treatment  
vessels used for intransit cold treatments 6-4-2 to 6-4-7, G-1-1
- Refrigerated warehouses**  
used for cold treatment 6-4-8 to 6-4-9
- refuse entry if pseudo-bulbs infected. 5-6-11
- Reichsteineria**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15
- Reporting problems** 1-1-4
- Residual effect**  
of methyl bromide 2-3-6 to 2-3-8
- Residue monitoring**  
collecting samples 4-2-2  
labeling samples 4-2-2  
overview 4-1-1  
safety precautions 4-2-1  
shipping samples 4-2-3  
storing samples 4-2-3
- Resistive thermal detectors** 3-3-7
- Resmethrin**  
treatment schedule for aircraft 5-5-25
- Respirators** 2-4-19, 2-4-31, 2-10-4
- Respiratory protection**  
capabilities and limitations 8-1-14 to 8-1-15  
communication and 8-1-19  
corrective lenses and 8-1-18  
employee acceptance 8-1-13  
facepiece fit and testing 8-1-17 to 8-1-18  
for fumigants 8-1-13  
for pesticides other than fumigants 8-1-13  
low temperatures and 8-1-19  
maintenance and care 8-1-19 to 8-1-22  
NIOSH certification 8-1-14  
OSHA requirements 8-1-12  
physical condition and 8-1-16  
responsibility for 8-1-12  
See also specific types or respiratory protection  
selection of 8-1-15  
use of 8-1-16 to 8-1-19
- Restrictions of manual** 1-1-1
- Resurrection plants**  
treatment T202-a-2
- MB ("Q" label only) at NAP—Tarpaulin 5-3-25
- Rhagoletis cerasi** spp.  
treatment T203-o-5  
MB ("Q" label only) at NAP 5-3-34
- Rhagoletis indifferens**  
treatment T101-s-1  
MB at NAP—chamber only 5-2-15
- Rhagoletis tomatis**  
treatment T101-c-3-1  
MB at NAP—tarpaulin or chamber 5-2-43
- Rhizomes**  
treatment schedules 5-3-20 to 5-3-21
- Rhododendron**  
treatment T501-6  
Remove infected parts and treat all plants of same species in shipment with 4-4-50 Bordeaux dip or spray. 5-6-4
- Rhyacionia buoliana**  
treatment T201-j  
MB ("Q" label only) at NAP 5-3-16
- Rhynchostylis** spp.  
treatment T201-d-5  
Hot water—118°F for 0.5 hour followed by a cool water bath 5-3-14
- Rice straw and hulls**  
methyl bromide treatment schedules 5-4-12 to ??  
See also Paddy rice  
steam treatment schedules 5-6-13
- Root cuttings**  
treatment schedule 5-3-17 to 5-3-18
- Root-knot nematodes**  
treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15  
treatment T556-1  
Dip in hot water at 122°F for 30 minutes. 5-6-16
- Roots**  
treatment schedule 5-3-20 to 5-3-21
- Rosa** spp.  
treatment T560-1  
Dip in hot water at 123°F for 10 minutes. 5-6-17
- Rosemarinus officinalis** 5-2-27, 5-2-28
- Rosemary** 5-2-27, 5-2-28
- Rosmarinus seeds**  
treatment T203-h  
MB ("Q" label only) at 26" vacuum 5-3-31
- RTD sensors**  
See Resistive thermal detectors

**Rubber trees**

treatment T203-j  
MB ("Q" label only) at NAP [5-3-33](#)

**Rue** [5-2-27](#), [5-2-28](#)

**Rusts**

treatment T508-1  
For rust-infected shipments to Florida  
Refuse entry to all infected plants and all other  
plants of the same species or variety in the  
shipment. [5-6-9](#)

**Ruta graveolens** [5-2-27](#), [5-2-28](#)

**rutabaga** [5-2-56](#)

**S****Saccharum**

treatment T514-1  
Presoak in water at room temperature for 24  
hours then immerse in water at 122°F for 3  
hours. [5-6-11](#)

**Safety precautions**

aerosols [2-11-4](#)  
CO2 fire extinguishers [2-11-4](#)  
hot water immersion treatment [3-3-15](#)  
micronized dusts [2-11-4](#)  
phosphine [2-10-5 to 2-10-6](#)  
residue monitoring [4-2-1](#)  
*See also* Emergency aid and safety  
ship fumigation [2-6-3](#)  
structure fumigation [2-7-3](#)

**Saffron** [5-2-27](#), [5-2-28](#)

**Sage** [5-2-27](#), [5-2-28](#)

**salsify** [5-2-56](#)

**Salvia officinalis** [5-2-27](#), [5-2-28](#)

**Salvia sciarea** [5-2-27](#), [5-2-28](#)

**Sanguisorba minor** [5-2-27](#), [5-2-28](#)

**Sansevieria**

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

**Satureja spp.** [5-2-27](#), [5-2-28](#)

**Savory summer** [5-2-27](#), [5-2-28](#)

**Savory winter** [5-2-28](#)

**Scabiosa**

treatment T553-1

Hot water at 118°F for 30 minutes. [5-6-15](#)

**SCBA**

*See* Self-contained breathing apparatus

**Schedules**

*See* Treatment schedules

**Scilla**

treatment T565-4  
Hot water at 110°F for 4 hours. (Should be done  
immediately after digging.) [5-6-19](#)

**Scion wood cuttings**

treatment T201-m-1  
MB ("Q" label only) at NAP—tarpaulin or  
chamber [5-3-16](#)

**Scirtothrips dorsalis**

treatment T101-b-1-1  
MB ("Q" label only) at NAP—tarpaulin or  
chamber [5-2-4](#)

**Scope of manual** [1-1-2](#)

**Scrobopalpula absoluta**

treatment T101-c-3-1  
MB at NAP—tarpaulin or chamber [5-2-43](#)

**Section 18 Exemptions**

determination of [2-5-2](#), [2-6-5](#)  
for fruits nuts and vegetables [5-2-1 to 5-2-2](#)  
methyl bromide fumigants [2-3-2 to 2-3-4](#)  
residue monitoring [4-1-1](#)  
treatment recommendations [1-1-1](#)

**Sedum**

treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

**Seed beetles**

seeds treatment schedule [5-3-31](#)  
vegetables treatment schedule [5-2-5](#), [5-2-21 to 5-2-22](#), [5-2-32](#), [5-2-37](#), [5-2-39](#)

**Seeds** [5-2-27](#)

treatment schedules [5-3-26 to 5-3-34](#), [5-4-7 to 5-4-8](#)

**Selaginella spp.**

treatment T202-a-1  
MB ("Q" label only) at NAP—Chamber [5-3-25](#)

**Self-contained breathing apparatus** [2-10-4](#), [8-1-14](#), [8-1-15](#), [8-1-22](#)

*See also* Respiratory protection

**Self-refrigerated containers**

clearance of intransit cold treatments [3-7-20 to 3-7-21](#)  
initiating intransit cold treatments [3-7-17 to 3-7-20](#)

- Senecio**  
 treatment T553-1  
   Hot water at 118°F for 30 minutes. [5-6-15](#)  
 treatment T568-1  
   Treat with hot water at 110°F for 1 hour. [5-6-19](#)
- Sensors**  
 See Temperature sensors
- Septoria gentinae**  
 treatment T507-2  
   Remove infected leaves and treat all plants of same species in shipment with Ferbam or Captan following label directions. [5-6-8](#)
- Set points**  
 requirements for hot water immersion treatment [3-3-6](#)
- Shallots**  
 treatment T101-q-2  
   MB at NAP—tarpaulin or chamber [5-2-41](#)
- Shelf life**  
 effect of methyl bromide [2-3-6](#) to [2-3-8](#)
- Shelled corn**  
 treatment T302-b-1-1  
   Reserved [5-4-12](#)
- Ship fumigation**  
 aeration [2-6-13](#) to [2-6-14](#)  
 conducting the fumigation [2-6-10](#) to [2-6-12](#)  
 materials needed [2-6-2](#) to [2-6-3](#)  
 methyl bromide [2-6-1](#) to [2-6-14](#)  
 preparing to fumigate [2-6-4](#) to [2-6-10](#)  
 safety measures [2-6-3](#)
- Ship holds**  
 treatment schedules ?? to [5-5-3](#), [5-5-4](#) to ??
- Ships**  
 intratransit cold treatment [3-7-1](#) to [3-7-16](#)  
 treatment schedules [5-5-3](#) to [5-5-6](#)
- Short term exposure limits** [2-10-4](#)
- Slack Associates, Inc.** [6-2-4](#)
- Slugs**  
 treatment T201-l  
   MB (“Q” label only) at NAP—tarpaulin or chamber [5-3-6](#)  
 treatment T403-a-3  
   MB at NAP [5-5-8](#)
- Snails**  
 cargo treatment schedules [5-5-6](#) to [5-5-10](#)  
 grains and seeds treatment schedules [5-3-12](#) to [5-3-13](#)  
 plants treatment schedules [5-3-12](#) to [5-3-13](#)  
 seeds treatment schedule [5-3-31](#)  
 ships treatment schedules [5-5-4](#)
- Soft scales**  
 cacti treatment schedule [5-3-4](#)  
 flowers and greenery treatment schedule [5-4-15](#)  
 orchids treatment schedule [5-3-14](#)
- Soil**  
 pests and pathogens treatment schedule [5-5-22](#) to [5-5-24](#)  
 potato cyst nematode treatment schedule [5-6-4](#)  
 steam pressure sterilization [3-4-1](#)
- Solanum**  
 treatment T565-5  
   Hot water at 110°F for 4 hours. (Should be done immediately after digging.) [5-6-19](#)
- Sorption**  
 of methyl bromide [2-3-5](#) to [2-3-6](#)
- Spain**  
 exemption from treatment for garlic [5-2-22](#)
- Sprays** [2-14-1](#)
- Squash** [5-2-56](#)  
 methyl bromide fumigation treatment schedule [5-2-41](#)  
 vapor heat treatment schedules [5-2-64](#)
- Steam treatments**  
 principle [3-4-1](#)  
 steam jet method [3-4-2](#)  
 steam pressure sterilization [3-4-1](#) to [3-4-2](#)
- STEL**  
 See Short term exposure limits
- Steneotarsonemus laticeps**  
 treatment T202-i-1  
   MB (“Q” label only) at NAP [5-3-24](#)
- Stipa tenacissima**  
 treatment schedules [5-4-14](#)
- stone fruit** [5-2-56](#)
- Storerooms**  
 treatment schedules [5-5-5](#)
- Strawberries** [5-2-56](#)  
 hot water treatment schedule [5-6-17](#), [5-6-20](#)  
 methyl bromide fumigation treatment schedule [5-2-42](#)
- Striga spp.**  
 treatment T408-g-1  
   MB (“Q” label only) (chamber) [5-5-24](#)
- Strip chart recorders**  
 APHIS approved models [3-3-9](#)  
 calculating chart speed [3-7-12](#)  
 checking operation [3-7-6](#)



- clearing shipments cold treated in transit [3-7-10 to 3-7-16](#)  
for intransit cold treatment of ships [3-7-3](#)  
obtaining chart length [3-7-13](#)
- Structure fumigation**  
aerating the enclosure [2-7-15 to 2-7-16](#)  
conducting the fumigation [2-7-13 to 2-7-15](#)  
materials needed [2-7-2 to 2-7-3](#)  
methyl bromide [2-7-1 to 2-7-16](#)  
preparing to fumigate [2-7-4 to 2-7-12](#)  
safety precautions [2-7-3](#)
- Succinea horticola**  
treatment schedule [5-3-12](#)
- Succulents**  
treatment T201-f-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-4 to 5-3-5](#)
- sugar beet** [5-2-56](#)
- Sugarcane**  
treatment schedules [5-6-11 to 5-6-12](#)
- Sulfuryl Fluoride**  
threshold limit value [8-1-12](#)
- Suppliers**  
reference guide to commercial suppliers [H-1-1 to H-1-58](#)
- Surge protectors**  
requirements for hot water immersion  
treatment [3-3-5](#)
- sweet** [5-2-27, 5-2-28](#)
- Sweet bay** [5-2-27, 5-2-28](#)
- sweet corn** [5-2-56](#)
- Sweet potatoes** [5-2-56](#)  
treatment T101-b-3-1  
MB at NAP—tarpaulin or chamber [5-2-42](#)  
treatment T202-d  
MB ("Q" label only) at NAP [5-3-26](#)
- Systole spp.**  
treatment T203-o-2  
MB ("Q" label only) in 26" vacuum [5-3-34](#)
- 
- T**
- T/C units**  
See Thermal conductivity units  
SeeThermanl conductivity gas analyzers
- Taeniothrips eucharii**  
treatment T202-h  
MB in 26" vacuum [5-3-23](#)
- Taeniothrips simplex**  
treatment T202-e-1  
MB ("Q" label only) at NAP [5-3-22](#)
- Taiwan**  
mango treatment schedules [5-2-62](#)
- Tanacetum vulagre** [5-2-27, 5-2-28](#)
- tangelo** [5-2-56](#)
- Tangerine**  
T107-b cold treatment schedule [5-2-67](#)  
T107-d cold treatment schedule [5-2-68](#)
- tangerine** [5-2-56](#)
- Tansy** [5-2-27, 5-2-28](#)
- Tarpaulin fumigation**  
arranging the stack [2-4-7 to 2-4-10](#)  
covering the stack [2-4-16](#)  
fan operation [2-4-10](#)  
methyl bromide  
aerating the enclosure [2-4-29 to 2-4-40](#)  
conducting the fumigation [2-4-19 to 2-4-29](#)  
materials needed [2-4-2 to 2-4-3](#)  
preparing to fumigate [2-4-3 to 2-4-19](#)  
of structures [2-7-10](#)  
padding corners [2-4-13](#)  
phosphine [2-10-6 to 2-10-7](#)  
rate of sorption [2-3-5](#)  
sealing [2-4-16, 2-10-6](#)
- Tarragan** [5-2-27, 5-2-28](#)
- Tarsonemus spp.**  
treatment T101-h-1  
MB at NAP—tarpaulin or chamber [5-2-6](#)
- Taxus**  
treatment T201-b-1  
MB ("Q" label only) at NAP—tarpaulin or chamber [5-3-9](#)
- Teflon tubing** [2-5-5](#)
- Temperature**  
effect on methyl bromide [2-3-4](#)  
measurement of  
chamber fumigation [2-5-3](#)  
ship fumigation [2-6-7](#)  
structure fumigation [2-7-9](#)  
tarpaulin fumigation [2-4-14](#)  
using commodity or air temperature [2-5-3](#)
- Temperature recorders**  
calibrating [3-7-7, 3-7-17](#)  
for hot water immersion treatment [3-3-8 to 3-3-11](#)

- for intransit cold treatment of ships 3-7-3
- on container vessels 3-7-8
- testing 3-7-9
- Temperature recording systems**
  - standards for integral containers used for cold treatment 6-4-7 to 6-4-8
  - standards for vessels used for intransit cold treatment 6-4-4 to 6-4-7
- Temperature sensors**
  - calibrating 3-7-17
  - document preparation 3-7-7
  - for hot water immersion treatment 3-3-7 to 3-3-8
  - for intransit cold treatment of ships 3-7-3 to 3-7-5
  - placement of 3-7-7, 3-7-18
- Temperature set points**
  - requirements for hot water immersion treatment 3-3-7
- Tephritidae**
  - treatment schedule for seeds 5-3-34
- Termites**
  - cargo treatment schedules 5-5-11
  - wood products treatment schedules 5-5-17
- Terms and conventions** 1-1-4
- Tetranychus kanzawai**
  - apples treatment schedule 5-2-74
- Tetranychus viennensis**
  - apples treatment schedule 5-2-74
- Thailand**
  - asparagus treatment schedule 5-2-4
- then let dry. 5-6-18
- Thermal conductivity gas analyzers**
  - Fumiscopes and Grow-Mac
    - description 8-1-2 to 8-1-4
    - Fumiscopes reading of 10 ounces per 1000 ft 8-1-8
    - limitations 8-1-7
    - maintenance 8-1-7
    - operational procedures 8-1-5 to 8-1-7
    - repair and calibration 8-1-7
    - standardizing the instrument 8-1-4 to 8-1-5
- Thermal conductivity units** 2-3-4, 2-4-21
  - See also Concentration readings
- Thermistors** 3-3-8
- Thermocouple sensors** 3-3-7, 3-3-8, 3-7-8, 3-7-15, 3-7-19
- Thermometers**
  - certified glass-mercury 3-3-8
- Thermostatic controls**
  - requirements for hot water immersion treatment 3-3-6
- Thompsonia nepalensis**
  - treatment T553-1
    - Hot water at 118°F for 30 minutes. 5-6-15
- Threshold limit values** 2-10-4
- Thrips spp.**
  - asparagus treatment schedule 5-2-3
  - banana treatment schedule 5-2-4
  - blackberry treatment schedule 5-2-6
  - melons treatment schedule 5-2-33
  - plantain treatment schedule 5-2-38
  - raspberry treatment schedule 5-2-41
- Thuja**
  - treatment T201-b-1
    - MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-9
- Thyme** 5-2-27, 5-2-28
- Thymus spp.** 5-2-27, 5-2-28
- Tick-infested materials**
  - non-food treatment schedules 5-4-24 to 5-4-25
  - nonplant articles treatment 5-5-38
- Tigridia**
  - treatment T554-1-1
    - Presoak in water at 70°F–80°F for 2.5 hours, followed by hot water immersion at 110°F–111°F for 1 hour. 5-6-16
- TLV's**
  - See Threshold limit values
- Tobacco moth**
  - treatment T308-d
    - Kabat® (active ingredient—methoprene) is an insect growth regulator applied at the rate of 0.2 pounds (3.9 fluid ounces) per 1,000 pounds of tobacco. 5-4-20
- Tobacco, for export**
  - treatment schedules 5-4-19 to 5-4-20
- Tomatoes** 5-2-56
  - methyl bromide fumigation treatment schedule 5-2-43
  - vapor heat treatment schedules 5-2-65
- Tomicus piniperda**
  - treatment T313-b
    - MB ("Q" label only) at NAP—chamber or tarpaulin 5-4-27
- Toxicity of fumigant** 2-2-1
- Treatment facilities**

certifying 6-2-1 to ??, 6-3-1 to ??, 6-4-1 to ??,  
6-5-1 to ??, 6-6-1 to ??, 6-7-1 to ??, 6-8-1 to  
6-8-4

#### Treatment schedules

adjusting exposure period 2-4-23 to 2-4-25  
cold treatment 5-2-66 to 5-2-69  
determining label for fumigation 5-2-2  
for miscellaneous plant products 5-4-1 to 5-4-28,  
5-5-1 to 5-5-45  
for miscellaneous products 5-5-1 to 5-5-45  
for plant pests or pathogens 5-6-1 to 5-6-20  
for propagative plant material 5-3-1 to 5-3-34  
fruits, nuts and vegetables 2-4-25 to 2-4-28,  
5-2-1 to 5-2-75  
fumigation plus refrigeration of fruits 5-2-70  
high temperature forced air 5-2-50 to 5-2-55  
hot water treatments 5-6-14 to 5-6-20  
irradiation 5-2-58  
methyl bromide fumigation 5-2-3 to 5-2-45  
pest specific/host variable 5-2-55 to 5-2-57  
quick freeze 5-2-74  
reporting commodity injury 5-2-1  
Section 18 Exemptions 5-2-1 to 5-2-2  
T100 5-2-1 to 5-2-75  
T200 5-3-1 to 5-3-34  
T300 5-4-1 to 5-4-28  
T400 5-5-1 to 5-5-45  
T500 5-6-1 to 5-6-20  
tarpaulin fumigation with methyl bromide 2-4-3  
vapor heat 5-2-60 to 5-2-64  
water treatment schedules 5-2-46 to 5-2-49

#### Trees, Christmas

treatment schedules 5-4-26  
treatment T501-5  
Remove infected parts and treat all plants of  
same species in shipment with 4-4-50 Bor-  
deaux dip or spray. 5-6-3

#### Trigonella foenumgraecum 5-2-27

#### Trogoderma granarium

aircraft treatment schedules 5-5-24  
bags treatment schedule 5-4-16  
brassware treatment schedules 5-5-40  
cargo treatment schedules 5-5-11  
cottonseed treatment schedules 5-4-2 to 5-4-4  
grains and seeds treatment schedules 5-4-9  
railroad cars treatment schedules 5-5-2  
seeds treatment schedule 5-3-31  
ships treatment schedules ?? to 5-5-3, 5-5-5 to  
??  
wood products treatment schedules 5-5-17

#### Tropaeolum majus 5-2-27, 5-2-28

#### Tuberose

treatment T565-5  
Hot water at 110°F for 4 hours. (Should be done  
immediately after digging.) 5-6-19

#### Tubers

treatment schedules 5-3-20 to 5-3-21

#### Tuna 5-2-56

#### Tuna (Opuntia)

treatment T101-e-3  
MB at NAP—tarpaulin or chamber 5-2-44

#### Turnips 5-2-56

treatment T101-g-1  
MB chamber, 15" vacuum—chamber 5-2-44

#### Tydaea

treatment T553-1  
Hot water at 118°F for 30 minutes. 5-6-15

#### Type T thermocouple sensors 3-7-8, 3-7-15, 3-7-19

## U

#### U.S. Department of Agriculture 3-3-2 to 3-3-4

#### U.S. Department of Transportation compressed air specifications 8-1-22

#### Umbelliferae

treatment T203-o-2  
MB ("Q" label only) in 26" vacuum 5-3-34

#### United States

citrus treatment schedule 5-2-18

#### Updating the manual

Appendix 10 C-1-1 to C-1-5

#### USDA

See U.S. Department of Agriculture

#### Use of manual 1-1-3

#### U-tube manometer

See Open arm manometer

## V

#### Vacuum fumigation

of plants 5-3-14

#### Vacuum Fumigation chambers

accessories 6-2-3  
aeration of 2-5-4  
chamber 6-2-1  
circulation and exhaust system 6-2-2  
fumigant introduction systems 6-2-2  
manufacturers 6-2-4  
performance standards 6-2-3  
vacuum pump 6-2-2

Vacuum Pump 8-1-30

Vanilla 5-2-27, 5-2-28

Vanillia planifolia 5-2-27, 5-2-28

#### Vapor heat treatment

principle 3-5-1

procedures 3-5-2 to 3-5-3

safeguards 3-5-3

schedules 3-5-1, 5-2-60 to 5-2-64

#### Vegetables

adjusting exposure period 2-4-25 to 2-4-28

aerating 2-4-29 to 2-4-30

determining temperature for proper dosage rate 2-4-15

methyl bromide fumigation treatment schedules 5-2-3 to 5-2-45

pest specific/host variable treatment schedules 5-2-55 to 5-2-57

quick freeze treatment schedules 5-2-74

reporting commodity injury 5-2-1

*See also specific vegetables by name*

vapor heat treatment schedules 5-2-60 to 5-2-64

water treatment schedules 5-2-46 to 5-2-49

Velometer 8-1-27

#### Verbena

treatment T553-1

Hot water at 118°F for 30 minutes. 5-6-15

#### Veronicellidae

treatment T201-l

MB ("Q" label only) at NAP—tarpaulin or chamber 5-3-6

#### Verticillium albo-atrum

treatment T520-1-1

Dust with 75 percent Thiram at the rate of 166 grams per 50 kilograms of seed (3.3g/kg). 5-6-14

#### Vessels

used for intransit cold treatment 6-4-2 to 6-4-7

#### Vetch seeds

treatment T203-d-1

MB ("Q" label only) at NAP 5-3-35

#### Vicia spp.

treatment T203-d-1

MB ("Q" label only) at NAP 5-3-35

#### Vine moth

treatment schedule 5-2-23 to 5-2-24

#### Vinsonia spp.

treatment T201-d-3

MB ("Q" label only) in 15" vacuum 5-3-14

#### Vitis

treatment T553-1

Hot water at 118°F for 30 minutes. 5-6-15

#### Viviparidae

treatment T201-q

Hot water treatment 112°F for 10 minutes. Eloe-dea densa and Cabomba caroliniana plants not tolerant to this treatment. 5-3-3

#### Volatilizer

description and use 8-1-24

liquid fumigant vaporizer 8-1-26

methyl bromide volatilizer coil 8-1-25

#### Volume measurement

ship fumigation 2-6-9

structure fumigation 2-7-10

tarpaulin fumigation 2-4-17

## W

#### Warehouses

clearance of the cold treated fruit 3-7-21

initiating the cold treatment 3-7-17 to 3-7-20

used for cold treatment 6-4-8 to 6-4-9

#### Waste

treatment schedules 5-4-5

#### Water circulation system

requirements for hot water immersion

treatment 3-3-7

#### Water heating capacity

requirements for hot water immersion

treatment 3-3-6

#### Water Spray

treatment schedule for plants 5-3-12

Water treatment schedules 5-2-46 to 5-2-49

watermelon 5-2-56

#### Weed seeds

treatment schedules 5-5-38 to 5-5-39

#### Weevils

treatment T302-g-1

MB at NAP—tarpaulin, chamber, or van container 5-4-8

#### Weigela

treatment T553-1

Hot water at 118°F for 30 minutes. 5-6-15

#### Western cherry fruit fly

*See also* Fruit flies

treatment schedule 5-2-15

Wheat  
treatment schedules for flag smut [5-6-6](#)

Wheat bug  
treatment T101-m-2  
MB at NAP—tarpaulin or chamber [5-2-29](#)

White Zapote  
T107-b cold treatment schedule [5-2-67](#)

wild marjoram [5-2-27, 5-2-28](#)

winter [5-2-27](#)

Wintergreen [5-2-27, 5-2-28](#)

Wire sensors [3-7-8, 3-7-19](#)

Wiring  
requirements for hot water immersion  
treatment [3-3-5](#)

Witchweed  
treatment T408-g-1  
MB (“Q” label only) (chamber) [5-5-24](#)

Wood borers  
treatment T403-d  
see T404 schedules [5-5-11](#)

Wood products  
treatment schedules [5-5-13 to 5-5-17](#)

Wood surfaces  
treatment schedules [5-5-13 to 5-5-14](#)  
treatment T402-b-3-1  
Malathion spray at 2 gal/1,000 ft<sup>2</sup> or to the  
point of runoff. [5-5-3](#)

Wood wasps  
treatment schedules for wood [5-5-13, 5-5-14](#)

Wooden boxes  
aeration for fumigation [2-3-5](#)

Woodruff [5-2-27, 5-2-28](#)

Work plans  
hot water immersion treatment [3-3-16](#)

Wormwood [5-2-27, 5-2-28](#)

---

## X

Xanthomonas albilineans  
treatment schedules [5-6-11](#)

Xanthomonas vasculorum  
treatment schedules [5-6-11](#)

---

## Y

Ya pear T107-f cold treatment schedule [5-2-69](#)

Yams [5-2-56](#)  
treatment schedules [5-2-44, 5-3-26](#)

Yellow peach moth  
apples treatment schedule [5-2-74](#)

Yucca  
treatment T101-n-1  
MB at NAP—tarpaulin or chamber [5-2-12](#)

---

## Z

Zantedeschia  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

Zingiberaceae  
treatment T553-1  
Hot water at 118°F for 30 minutes. [5-6-15](#)

Zoecon Corporation [5-4-20](#)

Zucchini [5-2-56](#)  
methyl bromide fumigation [5-2-45](#)  
vapor heat treatment schedules [5-2-65](#)



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z